

Northborough Hazard Mitigation Plan Update



Snow storm, Northborough, Massachusetts

Adopted by the Board of Selectmen October 15, 2018

Prepared by the **Central Massachusetts Regional Planning Commission** 1 Mercantile St, Suite 520 Worcester, MA 01608 www.cmrpc.org

&

Local Hazard Mitigation Team Town of Northborough, Massachusetts

Acknowledgements

The Northborough Board of Selectmen extends its thanks to participants in the Local Hazard Mitigation Team:

David Parenti, Fire Chief and Emergency Management Director William Lyver, Police Chief Scott D. Charpentier, DPW Director Michael Borowiec, Local Emergency Planning Committee Assistant Kathy Joubert, Town Planner David Kane, MIS/GIS Director Kim Foster, Assistant Town Administrator Steph Bacon, Health Director Robert Frederico, Building Inspector Joseph M. Atchue, Former Building Inspector

The Board likewise offers thanks to the Massachusetts Emergency Management Agency (MEMA) for guidance and feedback regarding this plan.

In addition, thanks are extended to the staff of the Central Massachusetts Regional Planning Commission for process facilitation and preparation of this document.

Central Massachusetts Regional Planning Commission

Adam Menard, Associate Planner Andrew Loew, Principal Planner Trish Settles, Program Manager Matthew Franz, GIS Analyst



TOWN OF NORTHBOROUGH

Town Offices 63 Main Street Northborough, MA 01532-1994 (508) 393-5040 Phone (508) 393-6996 Fax

CERTIFICATE OF ADOPTION

Town of Northborough, MASSACHUSETTS BOARD OF SELECTMEN

A RESOLUTION ADOPTING THE NATURAL HAZARD MITIGATION PLAN

WHEREAS, the <u>Town of Northborough</u> established a Committee to prepare the *NATURAL HAZARD MITIGATION PLAN*; and

WHEREAS, the <u>Town of Northborough</u> participated in the development of the *NATURAL HAZARD MITIGATION PLAN;* and

WHEREAS, the *NATURAL HAZARD MITIGATION PLAN* contains several potential future projects to mitigate potential impacts from natural hazards in the <u>Town of Northborough</u>; and

WHEREAS, a duly-noticed public meeting was held by the BOARD OF SELECTMEN on <u>October 15, 2018</u> for the public and municipality to review prior to consideration of this resolution; and

WHEREAS, the <u>Town of Northborough</u> authorizes responsible departments and/or agencies to execute their responsibilities demonstrated in the plan; and

NOW, THEREFORE BE IT RESOLVED that the <u>Town of Northborough</u> BOARD OF SELECTMEN, formally approves and adopts the *NATURAL HAZARD MITIGATION PLAN*, in accordance with M.G.L. c. 40.

ADOPTED AND SIGNED this 15th Day of October, 2018.

Chairman

~ ~	+	
OH	le.	nts

Contents	
1.0 INTRODUCTION	
1.1 Disaster Mitigation Plan	
1.2 Plan Purpose	
2.0 PLANNING PROCESS	
3.0 REGIONAL AND COMMUNITY PROFILE	0
4.0 NATURAL HAZARD IDENTIFICATION AND ANALYSIS	7
4.1 Overview of Hazards and Impacts	
4.2 Flooding	
4.3 Severe Snowstorms / Ice Storms / Nor'easters	
4.4 Hurricanes	
4.5 Severe Thunderstorms / Wind / Tornado	
4.6 Wildfires / Brush Fires	
4.7 Earthquakes	
4.8 Dam Failure	
4.9 Drought	
4.10 Extreme Temperatures	
4.11 Other Hazards	
4.12 Impacts of Climate Change on Hazards	
5.0 CRITICAL FACILITIES & VULNERABLE POPULATIONS	
5.1 Critical Facilities within Northborough	
Category 1 – Emergency Response Facilities	
Category 2 – Non-Emergency Response Facilities	
Category 3 – Dams	
Category 4 – Facilities/Populations to Protect	
6.0 EXISTING PROTECTION	
6.1 Existing Protection Matrix	
7.0 MITIGATION STRATEGY	68
7.1 Impact	
7.2 Priority	
7.3 Estimated Cost	

8. PL	AN ADOPTION, IMPLEMENTATION, AND MAINTENANCE	. 79
8.1	Plan Adoption	. 79
8.2	Plan Implementation	. 79
8.3	Plan Monitoring and Evaluation	. 80
8.4	Potential Federal and State Funding Sources	. 82
APPE	ENDICES	. 92
A.	Maps	. 92
B.	Public Survey Results	. 92
C.	Planning Team & Public Meetings	. 92
D.	Glossary	. 92
	2012/2018 Priorities Comparison	

1.0 INTRODUCTION

1.1 Disaster Mitigation Plan

Congress enacted the Disaster Mitigation Act of 2000 (DMA 2000) on October 10, 2000. Also known as the Stafford Act Amendments, the bill was signed into law by President Clinton on October 30, 2000, creating Public Law 106-390. The law established a national program for predisaster mitigation and streamlined the federal administration of disaster relief. Specific rules on the implementation of DMA 2000 were published in the Federal Register in February 2002 and required that all communities must have a Hazard Mitigation Plan in place in order to qualify for future federal disaster mitigation grants following a Presidential disaster declaration; each plan must be updated every five years to remain valid. The Hazard Mitigation Plan emphasizes measures that can be taken to reduce or prevent future disaster damages caused by natural hazards. In the context of natural hazard planning, hazard mitigation refers to any action that permanently reduces or eliminates long-term risks to human life and property.

1.2 Plan Purpose

New England weather is renowned for its mercurial and dramatic nature. Late summer hurricanes, major winter blizzards, and summer droughts are all part of climactic atmosphere in Central Massachusetts. These occur frequently enough to be familiar scenes to residents of Northborough. The intersection of these natural hazards with the built environment can transition these routine events into classified natural disasters. Since many towns historically developed along waterways as a corridor for transportation and power, much development is present in riverine floodplains. The historical development pattern of Central Massachusetts makes the likelihood of a devastating impact of a natural disaster more likely.

This plan identifies the natural hazards facing the Town of Northborough, assesses the vulnerabilities of the area's critical facilities, infrastructure, residents, and businesses, and presents recommendations on how to mitigate the negative effects of typical natural hazards.

This effort has drawn from the knowledge of local municipal officials and residents, and the recommendations presented are intended to be realistic and effective steps for mitigating natural hazards. Implementation of these actions will translate into savings – fewer lives lost, less property destroyed, and less disruption to essential services.

2.0 PLANNING PROCESS

This Plan is funded by a Fiscal Year 2017 Hazard Mitigation Grant Program (HMGP) grant to CMRPC from the Federal Emergency Management Agency (FEMA) through the Massachusetts Emergency Management Agency (MEMA). Twenty-seven communities are participating in this

effort, which involves community-specific updates to a regional plan adopted in March of 2013. Aside from Northborough, the twenty-six other communities are Auburn, Barre, Berlin, Boylston, Brookfield, Charlton, Dudley, East Brookfield, Hardwick, Leicester, Millbury, New Braintree, North Brookfield, Northborough, Northbridge, Oakham, Rutland, Shrewsbury, Southbridge, Spencer, Sturbridge, Upton, Uxbridge, Warren, Webster, West Boylston and Worcester.




Figure 1

The planning process in each community was composed of two distinct but related phases – data collection and technical review, and public input and planning. Identification of natural hazards impacting participating communities was accomplished through review of available information from various sources. These included federal and state reports and datasets, existing plans, and in some cases engineering documents. An assessment of risks and vulnerabilities was performed primarily using geographic information systems (GIS) to identify the infrastructure (critical facilities, public buildings, roads, homes, businesses, etc.) at the highest risk for being damaged by hazards, particularly flooding. Local knowledge as imparted by town officials, staff, emergency management volunteers and others was a critical element of this phase.

The second phase of the process was focused on outreach, public participation and input, and

planning. This phase was critical to ensuring awareness of the planning process among a wide range of local officials, coordinating plan elements with other sectors of the community, and providing opportunities for public comment and input from a representative base of residents and other stakeholders in each community. Through this engagement, CMRPC was better able to gauge community priorities for mitigation and to understand local resources and existing policies and procedures. With this information in hand, the planning team was able to develop an informed and community-specific list of mitigation strategies for each participating town.

In Northborough, a planning team of local staff and volunteers led by Fire Chief David Parenti met four times to discuss hazard areas, critical infrastructure and other assets, and plan priorities and strategies: March 6, 2017; April 12, 2017; July 26, 2017; and February 6, 2018. Participants included William Lyver (Police Chief), Scott D. Charpentier (DPW Director), Michael Borowiec (Local Emergency Planning Committee Assistant), Kathy Joubert (Town Planner), David Kane (MIS/GIS Director), Kim Foster (Assistant Town Administrator), Steph Bacon (Health Director), Robert Frederico (Building Inspector) and Joseph M. Atchue (Former Building Inspector). Between meetings and during development of the draft and final plans, information and comments were shared among the local team and CMRPC. CMRPC held a public regional forum for participating towns and other member communities on November 15, 2016 to discuss the overall planning effort and to highlight best practices in mitigation efforts and policies for use by individual communities. Also in late 2017, a public survey to gauge residents' concerns about (and experiences with) hazards was distributed on the Town's website. Seven (7) residents participated, offering opinions on hazards and vulnerabilities, preferred means of emergency communication, and priorities and suggestions for future mitigation action. Survey responses were discussed by the planning team at its February 6, 2018 meeting and informed development and prioritization of mitigation strategies.

As planning activities progressed, a public presentation was made by CMRPC at the January 22, 2018 meeting of the Northborough Board of Selectmen to provide a summary of key aspects of the draft Plan report then being finalized. The presentation was televised on the local cable access channel and the opportunity for public comment was emphasized. Materials and notes from the presentation and subsequent public discussion are included in the appendix. A full draft Plan was provided to the Town for distribution and made available online at CMRPC's website for public comment for two weeks starting on January 22, 2018; a revised draft Plan was provided to the Town and again posted online for comment on May 15, 2018. No substantive public comments were received. In addition, the final draft Plan was distributed to officials in all neighboring communities for review and input regarding shared hazards. Again, no comments were received.

The final draft Plan was submitted to MEMA for review on July 24, 2018 and was then relayed to FEMA for federal review. After receipt of FEMA's revisions on September 10, 2018 a presentation of the final plan was made by CMRPC at the October 15, 2018 meeting of the Board of Selectmen.

At the meeting, the plan was formally adopted by vote of the Board.

The Northborough Planning Board is the primary Town agency responsible for regulating development in Town. Feedback to the Planning Board was ensured through the participation of the Assistant Town Administrator and Town Planner on the Local Hazard Planning Team. In addition, CMRPC, the State-designated regional planning authority for Northborough, works with all agencies that regulate development in its region, including the municipal entities listed above and state agencies, such as Department of Conservation and Recreation and MassDOT. This regular involvement ensured that during the development of the Northborough Hazard Mitigation Plan, the operational policies and any mitigation strategies or identified hazards from these entities were incorporated.

See Appendix C for additional documentation of local stakeholder and public participation in the planning process.

3.0 REGIONAL AND COMMUNITY PROFILE

The Central Massachusetts Regional Planning Commission (CMPRC) region occupies roughly 1,000 square miles in the southern two-thirds of Worcester County, Massachusetts. The area surrounds the City of Worcester, which is the second-largest city in Massachusetts and New England, with a population of 183,382 as of the 2015 American Community Survey (five-year estimate). Nearly 563,000 people live in the CMRPC Region, of whom 14,814 reside in Northborough.

The CMRPC area is framed on the west by the Central Massachusetts uplands, on the south by Rhode Island and Connecticut, on the east by the Boston metropolitan area, and on the north by the Montachusett region in northern Worcester County. The forty-community region has been divided for planning purposes into six sub-regions, determined by shared characteristics and roadway corridors. Northborough is located in the Northeast sub-region consisting of five towns lying (at least partly) within the Concord watershed basin, including: Berlin, Boylston, Northborough, Shrewsbury, and Westborough.

Massachusetts has a humid continental climate, with maritime influences increasing from northwest to southeast. The Northborough area, as represented by National Weather Service data collected from 2000 through 2016 in nearby Worcester, sees monthly mean temperatures ranging from 24.4 degrees in January to 71 in July. Precipitation is relatively high at 49.15 inches annually, including 78 inches of snowfall. With a temperate climate and a location some 30 miles from the Atlantic coast, Northborough and its neighboring communities are subject to a variety of severe weather, including hurricanes, nor'easters, thunderstorms, and blizzards. All of these are discussed more fully in Chapter 4.

The Town of Northborough, Massachusetts was incorporated in 1766. Northborough is located on I-290, 5 miles northeast of the City of Worcester and is a thriving economic community. Northborough is bordered by Boylston and Shrewsbury on the west, Marlborough and Southborough on the east, Westborough on the south, and Berlin on the north.

Northborough has a total area of 18.8 square miles and a population of 14,814 (2015 American Community Survey). Northborough is a demographically growing community, with population growth increasing because of quality schools and large, desirable businesses. According to the Central Massachusetts Regional Planning Commission's (CMRPC) Long Range Transportation Plan, Mobility 2040, the Town of Northborough is expected to experience high population growth over the next 25 years.

The number of residents has grown from 11,929 in the 1990 US Census to 14,013 in 2000 to the currently (2015) estimated 14,814. Northborough is a largely white community, with some 84.2% of residents identifying within that group. Latinos or Hispanics of all races are the largest minority group, at 3.0%. The age breakdown is broadly similar to Massachusetts state splits, with children under 19 (25.1%) and seniors 65 or over (15.0%) close to the state rates of 24.0% and 14.7% respectively. Median age is 42.2, slightly above the state median of 39.3. At \$107,797, median household annual income is somewhat above the state (\$68,563) and Worcester County (\$65,313) medians. Poverty is low at 3.1%, or less than half the state and county rates (11.6% and 11.8% respectively). Housing costs are relatively high, with a median owner-occupied home valued at \$366,600, compared to \$333,100 for Massachusetts and \$252,600 for the county. More than 81% of occupied homes are detached or semi-detached single family houses; the remainder is multi-unit structures. At 2.8%, vacancies are well below the state (9.8%) and county (8.4%) numbers. Most homes are relatively new, with only 14.5% occupied units built before 1940, compared to 34% for Massachusetts and 32.5% for Worcester County.

4.0 NATURAL HAZARD IDENTIFICATION AND ANALYSIS

The following section includes a summary of disasters that have affected or could affect Northborough. Historical research, discussions with local officials and emergency management personnel, available hazard mapping and other weather-related databases were used to develop this list. The most significant identified hazards are the following:

- Flooding
- Severe Snowstorms / Ice storms/ Nor'easters
- Hurricanes
- Severe Thunderstorms / Wind / Tornadoes
- Wildfires / Brushfires

- Earthquakes
- Dam failure
- Drought
- Extreme Temperatures
- Other hazards

4.1 Overview of Hazards and Impacts

This section examines the hazards in the Massachusetts State Hazard Mitigation Plan which are identified as likely to affect Northborough. The analysis is organized into the following sections: Hazard Description, Location, Extent, Previous Occurrences, Probability of Future Events, Impact, and Vulnerability. A description of each of these analysis categories is provided below.

Hazard Description

The natural hazards identified for Northborough are: Flooding, Severe snowstorms / Ice storms / Nor'easters, Hurricanes, Severe thunderstorms / Wind / Tornadoes, Wildfire / Brushfire, Earthquakes, Dam failure, and Drought. Many of these hazards result in similar impacts to a community. For example, hurricanes, tornadoes and severe snowstorms may cause wind-related damage.

Location

Location refers to the geographic areas within the planning area that are affected by the hazard. Some hazards affect the entire planning area universally, while others apply to a specific portion, such as a floodplain or area that is susceptible to wild fires. Classifications are based on the area that would potentially be affected by the hazard, on the following scale:

Percentage of Town Impacted by Natural Hazard			
Land Area Affected by Occurrence Percentage of Town Impacted			
Large	More than 50% of the town affected		
Medium	10 to 50% of the town affected		
Small	Less than 10% of the town affected		

Table 1

Extent

Extent describes the strength or magnitude of a hazard. Where appropriate, extent is described using an established scientific scale or measurement system. Other descriptions of extent include water depth, wind speed, and duration.

Previous Occurrences

Previous hazard events that have occurred are described. Depending on the nature of the hazard, events listed may have occurred on a local, state-wide, or regional level.

Probability of Future Events

The likelihood of a future event for each natural hazard was classified according to the following scale:

Frequency of Occurrence and Annual Probability of Given Natural Hazard			
Frequency of Occurrence	Probability of Future Events		
Very High	70-100% probability in the next year		
High40-70% probability in the next year			
Moderate	10-40% probability in the next year		
Low	1-10% probability in the next year		
Very Low	Less than 1% probability in the next year		

Table 2

Impact

Impact refers to the effect that a hazard may have on the people and property in the community, based on the assessment of extent described above. Impacts are classified according to the following scale:

Table 3

Impacts, Magnitude of Multiple Impacts of Given Natural Hazard		
Impacts Magnitude of Multiple Impacts		
Catastrophic	Multiple deaths and injuries possible. More than 50% of property in affected area damaged or destroyed. Complete shutdown of facilities for 30 days or more.	

Critical	Multiple injuries possible. More than 25% of property in affected area damaged or destroyed. Complete shutdown of facilities for more than 1 week.
Limited	Minor injuries only. More than 10% of property in affected area damaged or destroyed. Complete shutdown of facilities for more than 1 day.
Minor	Very few injuries, if any. Only minor property damage and minimal disruption on quality of life. Temporary shutdown of facilities.

Vulnerability

Based on the above metrics, a hazard index rating was determined for each hazard. The hazard index ratings are based on a scale of 1 through 5 as follows:

- 1 Highest risk
- 2 High risk
- 3 Medium risk
- 4 Low risk
- 5 Lowest risk

The ranking is qualitative and is based, in part, on local knowledge of past experiences with each type of hazard. The size and impacts of a natural hazard can be unpredictable. However; many of the mitigation strategies currently in place and many of those proposed for implementation can be applied to the expected natural hazards, regardless of their unpredictability.

Table 4

Hazard Identification and Analysis Worksheet for Northborough				
Type of Hazard	Location of Occurrence	Probability of Future Events	Impact	Hazard Risk Index Rating
Flooding	Small	Low	Minor	3
Severe Snowstorms / Ice Storms/ Nor'easter	Large	Very High	Limited	2
Severe Thunderstorms /	Small	Moderate	Minor	2
Winds /	Small	Moderate	Limited	2
Tornadoes	Small	Very Low	Limited	4
Hurricanes	Large	Low	Limited	3
Wildfire / Brushfire	Small	Moderate	Minor	4
Earthquakes	Large	Very Low	Minor	5
Dam Failure	Small	Very Low	Limited	4
Drought	Large	Very Low	Minor	4
Extreme Temperatures	Large	Moderate	Limited	4

Source: based on Massachusetts State Hazard Mitigation Plan, 2013; modified to reflect conditions in Northborough

4.2 Flooding

Hazard Description

Flooding was the most prevalent natural hazard identified by local officials in Northborough. Flooding is generally caused by hurricanes, nor'easters, severe rainstorms, and thunderstorms. Global climate change has the potential to exacerbate these issues over time with the potential for more severe and frequent storm and rainfall events. There are several different types of flood hazards – from stormwater inundation and poor drainage infrastructure to riverine flooding and storm surges to dam failures. The most extensive damage would result from dam failure. However, the most frequent flood threat is due to riverine and stormwater flooding.

Location

Most flooding and flood-prone areas in Northborough are closely associated to the Town's 100year flood areas, identified by FEMA. According to a GIS analysis performed by CMRPC, there are 776 parcels in Oxford that are susceptible to 100-year floods, with 103 of them containing structures.

Much of Northborough is upland, away from rivers and ponds – as a result, the location of this hazard is relatively "small". Map 2 in Appendix A illustrates the FEMA FIRM 100-year flood zones in town, as well as locally-identified flooding areas. See below for discussion of previous flood occurrences and their locations.

Extent

The average annual precipitation for Northborough and surrounding areas in central Massachusetts has been 45 to 50 inches during the past several years.

Water levels in Northborough's rivers, streams, and wetlands rise and fall seasonally and during high rainfall events. High water levels are typical in spring, due to snowmelt and ground thaw. This is the period when flood hazards are normally expected. Low water levels occur in summer due to high evaporation and plant uptake (transpiration). At any time, heavy rainfall may create conditions that raise water levels in rivers and streams above bank full stage, which then overflow adjacent lands.

Based on past records and the knowledge and experience of members of the Northborough Hazard Mitigation team and residents, the extent of the impact of localized flooding would be "minor".

Previous Occurrences

In addition to the floodplains mapped by FEMA for the 100-year and 500-year flood, Northborough often experiences minor flooding at isolated locations due to drainage problems, or problem culverts. The following specific flooding locations were identified by the Northborough Hazard Mitigation Team based on knowledge of past flood events:

• West St- floods during heavy rails most springs and sometimes fall. Waters depths can

reach 12+ inches resulting in road closure

- Cherry St-floods in conjunction with West St but less often, approximately 1 out of 4 times with depths less than 6-inches
- Fay Lane & Lower Pleasant St- is an extremely rare case of flooding (about once every decade or so but does require road closure)
- Tomblin Hill Rd- localized ponding on the shoulder at the Route 20 end but does not flood
- US-20 / MA-9- Significant puddles reaching 6-inch depth during heavy rain events
- Boundary St to the Town line- flooding is extremely rare (maybe once every decade or so but does require road closure)

In addition to the locations listed here (and mapped in Appendix A, Map 2), there are many areas with no record of previous flood incidents that could be affected in the future by heavy rain and runoff.

At this time, Northborough has no repetitive loss structures, nor have there been any loss claims by FEMA NFIP participants in Northborough. As defined by the National Flood Insurance Program (NFIP), a repetitive loss property is any property which the NFIP has paid two or more flood claims of \$1,000 or more in any given 10-year period since 1978. For more information on repetitive losses see www.fema.gov/repetitive-flood-claims-grant-program-fact-sheet.

Probability of Future Events

Based upon previous data, there is "low" probability of localized flooding occurring in Northborough.

Impact

The Town faces a "minor" impact, with less than 10% of total town area likely to be affected by a flooding event.

Utilizing the GIS analysis noted above, the total value of the structures on the 776 parcels that are susceptible to a 100-year flood is approximately \$31,381,000.

HAZUS- MH (multiple-hazards) is a computer program developed by FEMA to estimate losses due to a variety of natural hazards. The HAZUS software was used to model potential damage to the community from a 100-year flood event, assuming a 1 square mile data resolution.

Table 5

Estimated Damages from Flood

	100 Year flood event
Building Characteristics	
Estimated total number of buildings	5,412
Estimated total building replacement value (2014 \$)	\$ 2,132,000,000
Building Damages	
# of buildings sustaining minor damage (1-10%)	21
# of buildings sustaining moderate damage (11-40%)	17
# of buildings sustaining severe damage (41-50%)	0
# of buildings destroyed	0
Population Needs	
# of households displaced	157
# of people seeking public shelter	182
Debris	
Building debris generated (tons)	N/A
# of truckloads to clear building debris	N/A
Value of Damages	
Total property damage (buildings and content)	\$ 26,260,000
Total losses due to business interruption	\$ 190,000

Historically there are a number of recorded instances of flood events of this size. This model was included in order to help planners and emergency personnel quantify the impact scale of a very plausible and increasingly likely flood event as we move into the climate change era. For more information on the HAZUS-MH software, go to http://www.fema.gov/hazus-software.

Vulnerability

Based on this analysis, Northborough faces a hazard index rating of "3 - medium risk" from flooding.

A culvert along Route 135 is located within the 100-year flood zone. Additionally, sections of evacuation routes including Main St, Church St, South St/Route 135, West Main St, Hudson St, Whitney St, and I-290 are located in or adjacent to 100-year flood zones. Moreover, the local team identified 6 locations in Northborough susceptible to flooding, including those which are identified above under Previous Occurrences. If evacuation routes and critical facilities such as those listed above are flooded, emergency response and/or evacuations could be hampered.

4.3 Severe Snowstorms / Ice Storms / Nor'easters

Hazard Description

Severe winter storms can pose a significant risk to property and human life. Severe snowstorms and ice storms can involve rain, freezing rain, ice, snow, cold temperatures and wind. Heavy snowfall and extreme cold can immobilize an entire region. Even areas that normally experience mild winters can be hit with a major snowstorm or extreme cold. Winter storms can result in flooding, storm surge, closed highways, blocked roads, downed power lines and hypothermia. A northeast coastal storm, known as a nor'easter, is typically a large counter-clockwise wind circulation around a low-pressure center often resulting in heavy snow, high winds, and rain.

Location

The entire Town of Northborough is susceptible to severe snowstorms, which means the location of occurrence is "large." Because these storms occur regionally, they would impact the entire Town.

Extent

The Northeast Snowfall Impact Scale (NESIS) developed by Paul Kocin of The Weather Channel and Louis Uccellini of the National Weather Service (Kocin and Uccellini, 2004) characterizes and ranks high-impact Northeast snowstorms. These storms have large areas of 10-inch snowfall accumulations and greater. NESIS has five categories: Extreme, Crippling, Major, Significant, and Notable. The index differs from other meteorological indices in that it uses population information in addition to meteorological measurements. Thus, NESIS gives an indication of a storm's societal impacts.

NESIS scores are a function of the area affected by the snowstorm, the amount of snow, and the number of people living in the path of the storm. The aerial distribution of snowfall and population information are combined in an equation that calculates a NESIS score which varies from around one for smaller storms to over ten for extreme storms. The raw score is then converted into one of the five NESIS categories. The largest NESIS values result from storms producing heavy snowfall over large areas that include major metropolitan centers.

Table 6

Northeast Snowfall Impact Scale Categories

Category	NESIS Value	Description
1	1—2.499	Notable
2	2.5—3.99	Significant
3	4—5.99	Major
4	6—9.99	Crippling
5	10.0+	Extreme

Source : http://www.ncdc.noaa.gov/snow-and-ice/rsi/nesis

Previous Occurrences

Based on data available from the National Oceanic and Atmospheric Administration, there are 58 high-impact snowstorms since 1958 that have affected the Northeast Corridor. Of these, 31 storms resulted in snowfalls in Northborough of at least 10 inches. These storms are listed in the table below:

Table 7

Winter Storms Producing over 10 Inches of Snow in Northborough, 1958-2018				
Date	NESIS Value	NESIS Category	NESIS Classification	
3/11/2018	3.16	2	Significant	
3/05/2018	3.45	2	Significant	
1/03/2018	2.27	1	Notable	
3/12/2017	5.03	3	Major	
2/8/2015	1.32	1	Notable	
1/29/2015	5.42	3	Major	
1/25/2015	2.62	2	Significant	
3/4/2013	3.05	2	Significant	
2/7/2013	4.35	3	Major	
10/29/2011	1.75	1	Notable	
1/26/2011	2.17	1	Notable	
1/9/2011	5.31	3	Major	
12/24/2010	4.92	3	Major	
2/12/2006	4.10	3	Major	
1/21/2005	6.80	4	Crippling	
2/15/2003	7.50	4	Crippling	
3/31/1997	2.29	1	Notable	
2/8/1994	5.39	3	Major	

Winter Storms Producing over 10 Inches of Snow					
in Northborough, 1958-2018					
Date	NESIS	NESIS	NESIS		
Date	Value	Category	Classification		
3/11/2018	3.16	2	Significant		
3/05/2018	3.45	2	Significant		
1/03/2018	2.27	1	Notable		
3/12/1993	13.2	5	Extreme		
2/10/1983	6.25	4	Crippling		
4/6/1982	3.35	2	Significant		
2/5/1978	5.78	3	Major		
1/19/1978	6.53	4	Crippling		
2/18/1972	4.77	3	Major		
2/25/1969	6.29	4	Crippling		
2/22/1969	4.29	3	Major		
2/8/1969	3.51	2	Significant		
2/5/1967	3.50	2	Significant		
1/11/1964	6.91	4	Crippling		
2/2/1961	7.06	4	Crippling		
1/18/1961	4.04	3	Major		
12/11/1960	4.53	3	Major		
3/2/1960	8.77	4	Crippling		
2/14/1958	6.25	4	Crippling		

Source : http://www.ncdc.noaa.gov/snow-and-ice/rsi/nesis

Probability of Future Events

Based upon the availability of records for Worcester County, the likelihood that a severe snow storm will affect Northborough is "very high" (greater than 70 percent in any given year).

Research on climate change indicates that there is great potential for stronger, more frequent storms as the global temperature increases. The Massachusetts State Climate Change Adaptation Report has additional information about the impact of climate change and can be accessed at http://www.mass.gov/eea/air-water-climate-change/climate-change/.

Impact

The Town faces a "limited" impact or less than 10 percent of total property damaged, from snowstorms.

The weight from multiple snowfall events can test the load ratings of building roofs and potentially cause significant damage. Multiple freeze-thaw cycles can also create large amounts of ice and make for even heavier roof loads.

Other impacts from snowstorms and ice storms include:

- Disrupted power and phone service
- Unsafe roadways and increased traffic accidents
- Infrastructure and other property are also at risk from severe winter storms and the associated flooding that can occur following heavy snow melt.
- Tree damage and fallen branches that cause utility line damage and roadway blockages
- Damage to telecommunications structures
- Reduced ability of emergency officials to respond promptly to medical emergencies or fires

Vulnerability

Based on the above assessment, Northborough has a hazard index rating of "2 — high risk" from snowstorms and ice storms.

The Northborough Hazard Mitigation Planning Team did note severe snowstorms being particularly impactful to Howard Street, where old trees and branches have to potential to damage power lines, making areas vulnerable to power outages.

Utilizing the Town's total value of all property, \$2,676,580,000 (Massachusetts Department of Revenue, 2016), and an estimated 5 percent of damage to 10 percent of residential structures, approximately \$13,382,900 worth of damage could occur from a severe snowstorm. This is a rough estimate and likely reflects a worst-case scenario. The cost of repairing or replacing the roads, bridges, utilities, and contents of structures is not included in this estimate.

4.4 Hurricanes

Hazard Description

Hurricanes are classified as cyclones and defined as any closed circulation developing around a low-pressure center in which the winds rotate counter-clockwise in the Northern Hemisphere (or clockwise in the Southern Hemisphere) and whose diameter averages 10 to 30 miles across. The primary damaging forces associated with these storms are high-level sustained winds and heavy precipitation. Hurricanes are violent rainstorms with strong winds that can reach speeds of up to 200 miles per hour and which generate large amounts of precipitation. Hurricanes generally occur between June and November and can result in flooding and wind damage to structures and above-ground utilities.

Location

Because of the hazard's regional nature, all of Northborough is at risk from hurricanes, meaning the location of occurrence is "large." Ridgetops are more susceptible to wind damage. Areas susceptible to flooding are also likely to be affected by heavy rainfall.

Extent

As an incipient hurricane develops, barometric pressure (measured in millibars or inches) at its center falls and winds increase. If the atmospheric and oceanic conditions are favorable, it can intensify into a tropical depression. When maximum sustained winds reach or exceed 39 miles per hour, the system is designated a tropical storm, given a name, and is closely monitored by the National Hurricane Center in Miami, Florida. When sustained winds reach or exceed 74 miles per hour the storm is deemed a hurricane. Hurricane intensity is further classified by the Saffir-Simpson Hurricane Wind Scale, which rates hurricane wind intensity on a scale of 1 to 5, with 5 being the most intense.

Saffir-Simpson Scale		
Category	Maximum Sustained Wind Speed (MPH)	
1	74–95	
2	96–110	
3	111–129	
4	130–156	
5	157 +	

Table 8

Source: National Hurricane Center, 2012

Previous Occurrences

Hurricanes that have affected the region in which Northborough is located are shown in the following table:

Table 9

Major Hurricanes and Tropical Storms Affecting the region			
Hurricane/Storm Name	Year	Saffir/Simpson Category (when reached MA)	
Great Hurricane of 1938	1938	3	
Great Atlantic Hurricane	1944	1	
Hurricane Dog	1950	Unclear	
Carol	1954	3	
Edna	1954	1	
Diane & Connie	1955	Tropical Storms, 5 days apart	
Donna	1960	Unclear, 1 or 2	
Belle	1976	Minor Storm	
Gloria	1985	1	
Bob	1991	2	
Floyd	1999	Tropical Storm	
Irene	2011	Tropical Storm	
Sandy	2012	Tropical Storm	

Source: National Oceanic and Atmospheric Administration

Probability of Future Events

Northborough's location in central Massachusetts approximately 35 miles inland reduces the risk of extremely high winds that are associated with hurricanes, although it can still experience some high wind events. Based upon past occurrences, it is reasonable to say that there is a "low" probability (1 percent to 10 percent in any given year) of hurricanes in Northborough. Climate change is projected to result in more severe weather, including increased occurrence of hurricanes and tropical storms. Because of this, the occurrence of hurricanes will increase in the future.

Impact

A description of the damages that could occur due to a hurricane is described by the Saffir-Simpson scale, as shown below:

Table 10

Hurrican	Hurricane Damage Classifications			
Storm Category	Damage Level	Description of Damages	Wind Speed (MPH)	
1	MINIMAL	No real damage to building structures. Damage primarily to unanchored mobile homes, shrubbery, and trees. Also,		
	Very dangerous winds will produce some damage	some coastal flooding and minor pier damage. An example of a Category 1 hurricane is Hurricane Dolly (2008).	74-95	
2	MODERATE	Some roofing material, door, and window damage. Considerable damage to vegetation, mobile homes, etc.		
	Extremely dangerous winds will cause extensive damage	Flooding damages piers and small craft in unprotected moorings may break their moorings. An example of a Category 2 hurricane is Hurricane Francis in 2004.	96-110	
3	EXTENSIVE	Some structural damage to small residences and utility buildings, with a minor amount of curtain wall failures.		
	Devastating damage will occur	Mobile homes are destroyed. Flooding near the coast destroys smaller structures, with larger structures damaged by floating debris. Terrain may be flooded well inland. An example of a Category 3 hurricane is Hurricane Ivan (2004).	111-129	
	EXTREME	More extensive curtain wall failures with some complete roof structure failure on small residences. Major erosion		
	Catastrophic damage will occur	of beach areas. Terrain may be flooded well inland. An example of a Category 4 hurricane is Hurricane Charley (2004).	130-156	
5	CATASTROPHIC	Complete roof failure on many residences and industrial buildings. Some complete building failures with small utility buildings blown over or away. Flooding causes major damage to lower floors of all structures near the shoreline. Massive evacuation of residential areas may be required. An example of a Category 5 hurricane is	157+	
	Catastrophic damage will occur	Hurricane Andrew (1992).		

The Town faces a "limited" impact from hurricanes, with 10 percent or less of Northborough affected.

Vulnerability

Based on the above analysis, Northborough has a hazard index rating of "3 – medium risk" from hurricanes.

HAZUS- MH (multiple-hazards) is a computer program developed by FEMA to estimate losses due to a variety of natural hazards. The HAZUS software was used to model potential damages to the community from a 100-year and 500-year hurricane event; storms that are 1% and .02% likely to happen in a given year, and roughly equivalent to a Category 2 and Category 4 hurricane. The damages caused by these hypothetical storms were modeled as if the storm track passed directly through the Town, bringing the strongest winds and greatest damage potential.

Table 11

Estimated Damages from Hu	lincalles	
	100 Year	500 Year
Building Characteristics		
Estimated total number of buildings	5,4	12
Estimated total building replacement value (2010 \$)	\$ 2,132,	000,000
Building Damages		
# of buildings sustaining minor damage	102	708
# of buildings sustaining moderate damage	5	87
# of buildings sustaining severe damage	0	4
# of buildings destroyed	0	2
Population Needs		
# of households displaced	0	16
# of people seeking public shelter	0	4
Debris		
Building debris generated (tons)	2,049	6,163
Tree debris generated (tons)	3,718	9,026
# of truckloads to clear building debris	15	80
Value of Damages (thousands of dollars)		
Total property damage (buildings and content)	\$ 11,004.48	\$37,390.28
Total losses due to business interruption	\$ 287.92	\$2,016.18

Though there are no recorded instances of a hurricane equivalent to a 500-year storm passing through Massachusetts, this model was included in order to present a reasonable "worst case scenario" that would help planners and emergency personnel evaluate the impacts of storms that may be more likely in the future, as we enter into the climate change era. For more information on

the HAZUS-MH software, go to http://www.fema.gov/hazus-software.

4.5 Severe Thunderstorms / Wind / Tornado

Hazard Description

A thunderstorm is a storm with lightning and thunder produced by a cumulonimbus cloud, usually producing gusty winds, heavy rain, and sometimes generating hail. Effective January 5, 2010, the NWS modified the hail size criterion to classify a thunderstorm as 'severe' when it produces damaging wind gusts in excess of 58 mph (50 knots), hail that is 1 inch in diameter or larger (quarter size), or a tornado (NWS, 2013).

Wind is air in motion relative to surface of the earth. For non-tropical events over land, the NWS issues a Wind Advisory (sustained winds of 31 to 39 mph for at least 1 hour or any gusts 46 to 57 mph) or a High Wind Warning (sustained winds 40+ mph or any gusts 58+ mph). For non-tropical events over water, the NWS issues a small craft advisory (sustained winds 25-33 knots), a gale warning (sustained winds 34-47 knots), a storm warning (sustained winds 48 to 63 knots), or a hurricane force wind warning (sustained winds 64+ knots). For tropical systems, the NWS issues a tropical storm warning for any areas (inland or coastal) that are expecting sustained winds from 39 to 73 mph. A hurricane warning is issued for any areas (inland or coastal) that are expecting sustained winds of 74 mph. Effects from high winds can include downed trees and/or power lines and damage to roofs, windows, etc. High winds can cause scattered power outages. High winds are also a hazard for the boating, shipping, and aviation industry sectors.

Tornadoes are swirling columns of air that typically form in the spring and summer during severe thunderstorm events. In a relatively short period of time and with little or no advance warning, a tornado can attain rotational wind speeds in excess of 250 miles per hour and can cause severe devastation along a path that ranges from a few dozen yards to over a mile in width. The path of a tornado may be hard to predict because they can stall or change direction abruptly. Within Massachusetts, tornadoes have occurred most frequently in the Connecticut River Valley and in western Worcester County, with Northborough some 35 miles east of the zone of most frequent past occurrence. High wind speeds, hail, and debris generated by tornadoes can result in loss of life, downed trees and power lines, and damage to structures and other personal property (cars, etc...).

Location

As per the Massachusetts Hazard Mitigation Plan, the entire Town is at risk of high winds, severe thunderstorms, and tornadoes. The plan identifies Northborough and its surrounding communities as having a moderate frequency of tornado occurrence within the Massachusetts context. However, the actual area affected by thunderstorms, wind, or tornadoes is "small," with less than 10 percent of the Town generally affected.

Extent

An average thunderstorm is 15 miles across and lasts 30 minutes; severe thunderstorms can be much larger and longer. Southern New England typically experiences 10 to 15 days per year with severe thunderstorms. Thunderstorms can cause hail, wind, and flooding.

Tornadoes are measured using the enhanced F-Scale, shown with the following categories and corresponding descriptions of damage:

Enhanced Fujita Scale Levels and Descriptions of Damage			
EF-Scale Number	Intensity Phrase	3-Second Gust (MPH)	Type of Damage Done
EF0	Gale	65–85	Some damage to chimneys; breaks branches off trees; pushes over shallow-rooted trees; damages to sign boards.
EF1	Moderate	86–110	The lower limit is the beginning of hurricane wind speed; peels surface off roofs; mobile homes pushed off foundations or overturned; moving autos pushed off the roads; attached garages may be destroyed.
EF2	Significant	111–135	Considerable damage. Roofs torn off frame houses; mobile homes demolished; boxcars pushed over; large trees snapped or uprooted; light object missiles generated.
EF3	Severe	136–165	Roof and some walls torn off well-constructed houses; trains overturned; most trees in forest uprooted.
EF4	Devastating	166–200	Well-constructed houses leveled; structures with weak foundations blown off some distance; cars thrown and large missiles generated.

Table 12

Table 13 - Extent Scale for Hail

CONVERTING TRADITIONAL HAIL SIZE DESCRIPTIONS Traditional object-to-size conversion for assessment and translation of severe hail reports. We encourage <i>measurement</i> , not estimation, of hail size.		
HAIL SIZE (in	1.) OBJECT ANALOG REPORTED	
.50	Marble, moth ball	
.75	Penny	
.88	Nickel	
1.00	Quarter	
1.25	Half dollar	
1.50	Walnut, ping pong	
1.75	Golf ball	
2.00	Hen egg	
2.50	Tennis ball	
2.75	Baseball	
3.00	Tea cup	
4.00	Grapefruit	
4.50	Softball	

Previous Occurrences

Because thunderstorms and wind affect the town regularly on an annual basis, there are not significant records available for these events. As per the Massachusetts Hazard Mitigation Plan, there are approximately 10 to 30 days of thunderstorm activity in the state each year.

In Worcester County, there have been a number of F1 tornadoes occurring sporadically over the years. However, a data search for tornadoes rating 3 or above, or resulting in death/injury, or significant property damage, identifies the following events:

- In 1953, an F4 tornado struck Northborough and Worcester. The event resulted in at least 90 fatalities, and more than 1,200 injured. There was extensive property damage. On the same date, an F3 tornado began in the Town of Sutton, northwest of Northborough.
- In 1981 an F3 tornado struck, resulting in just 3 injuries and very little reported property damage.
- In June 2011, an F3 tornado struck Massachusetts. Few deaths were reported, all in Hampden County. No deaths were Figure 2- Photo: MEMA 2011 reported in Worcester County.





Figure 3 - Above: NASA released this image of part of the 39-mile-long tornado track through southcentral Mass. The image was captured June 5, 2011 by Landsat 5 satellite.

Probability of Future

Events

One measure of tornado activity is the tornado index value. It is calculated based on historical tornado events data using USA.com algorithms. It is an indicator of the relative tornado activity level in a region. A higher tornado index value means a higher chance of tornado events. Index values for Northborough and its surroundings are shown below.

Table 14

Tornado Index Value		
Town of Northborough	118.05	
Worcester County	120.35	
Massachusetts	87.60	
United States	136.45	

Source : http://www.usa.com/massachusetts-state-natural-disasters-extremes.htm

Based upon the available historical record, as well as Northborough's location in a moderatedensity cluster of tornado activity for Massachusetts, there is a "very low" probability (less than 1 percent chance in any given year) of a tornado affecting the town, and a moderate (10 percent to 40 percent chance in any given year) probability of a severe thunderstorm and/or high winds.

Impact

Overall, Northborough faces a "minor" impact from severe thunderstorms, and a "limited" impact from severe winds, or tornados, with 10 percent or less of the Town likely to be affected.

As indicated as part of the Enhanced Fujita Scale Levels for tornados, the following impacts can result from a tornado:

- EF0 Some damage to chimneys; breaks branches off trees; pushes over shallow-rooted trees; damages to sign boards.
- EF1 The lower limit is the beginning of hurricane wind speed; peels surface off roofs; mobile homes pushed off foundations or overturned; moving autos pushed off the roads; attached garages may be destroyed.
- EF2 Considerable damage. Roofs torn off frame houses; mobile homes demolished; boxcars pushed over; large trees snapped or uprooted; light object missiles generated.
- EF3 Roof and some walls torn off well-constructed houses; trains overturned; most trees in forest uprooted.
- EF4 Well-constructed houses leveled; structures with weak foundations blown off some distance; cars thrown and large missiles generated.

Vulnerability

Based on the above assessment, Northborough has a hazard index rating of "2- high risk" from severe thunderstorms and winds, and a "4 - low risk" from tornadoes.

The potential for locally catastrophic damage is a factor in any tornado, severe thunderstorm, or wind event. In Northborough, a tornado that hit residential areas would leave much more damage than a tornado with a travel path that ran along the town's uplands, where less settlement has occurred. Most buildings in the town have not been built to Zone 1, Design Wind Speed Codes. The first edition of the Massachusetts State Building Code went into effect on January 1, 1975, and 58.9% percent of the town's 5,253 occupied housing units were constructed in 1979 or earlier (American Communities Survey, 2014 5-year estimate). Beyond town-wide storm damage, the

Northborough Hazard Mitigation Planning Team identified Davis Street as being a location where microbursts have occurred in the past, Northgate Road being vulnerable to heavy rainfall, and the voter at Davidian Brothers Farm experiencing lighting as it is one of the highest points in Town. An important Town facility that was identified as being vulnerable to strong winds and tornados is the current Town Hall at 63 Main St. Utility lines throughout town are also vulnerable, particularly where trees have not been trimmed recently.

Utilizing the Town's total value of all property, \$2,676,580,000 (Massachusetts Dept. of Revenue, 2016), and an estimated 10 percent of damage to 5 percent of all structures, the estimated amount of damage from a tornado is \$13,382,900. The cost of repairing or replacing the roads, bridges, utilities, and contents of structures is not included in this estimate.

4.6 Wildfires / Brush Fires

Hazard Description

Wildfires are typically larger fires, involving full-sized trees as well as meadows and scrublands. Brushfires are uncontrolled fires that occur in meadows and scrublands, but do not involve fullsized trees. Typical causes of brushfires and wildfires are lightning strikes, human carelessness, and arson.

FEMA has classifications for 3 different classes of wildfires:

- Surface fires are the most common type of wildfire, with the surface burning slowly along the floor of a forest, killing or damaging trees.
- Ground fires burn on or below the forest floor and are usually started by lightening
- Crown fires move quickly by jumping along the tops of trees. A crown fire may spread rapidly, especially under windy conditions.

Potential vulnerabilities to wildfires include damage to structures and other improvements, and impacts on natural resources. Smoke and air pollution from wildfires can be a health hazard, especially for sensitive populations including children, the elderly, and those with respiratory and cardiovascular diseases.

Location

Worcester County has approximately 645,000 acres of forested land, which accounts for 64% of total land area (Massachusetts Office of GIS, 2007). In Northborough, an estimated 46.5% of the land is forested. While Northborough is developed in a mostly moderate-density suburban pattern

and few uninterrupted tracts of forest are present, the substantial tree coverage does present some risk for wildfires and brush fires. The total amount of town that could be affected by a wildfire is categorized as "small," or less than 10 percent of the total area.

Northborough is vulnerable to interface problems (fires spreading from unoccupied land to human development) because of Mount Pisgah and its hiking trails. Human activity, which inevitably involves gatherings are fires, in the Mount Pisgah area can potentially lead to problems for those living on Lyman Road, Howard Street, Howard Lane, Green Street, and other nearby areas.

Extent

Wildfires can cause widespread damage. They can spread very rapidly, depending on local wind speeds and can be very difficult to get under control. Fires can last for several hours up to several days.

In Northborough approximately 46.5% percent of the town's total land area is forested, and is therefore at risk of fire, but besides the Mount Pisgah area, this forested area is generally scattered throughout the community, with developed areas, rivers and major transportation corridors (Route 20, Route 135, and I-290) breaking up the forest. In drought conditions, a brushfire or wildfire would be a matter of concern. As noted in the next section describing previous occurrences of wildfire, there have not been any major wildfires recorded in Northborough in recent decades. Based on historic data for 2006-2015, it is estimated that brush fires destroyed 40 acres of forested area (Massachusetts Fire Incident Reporting System).

The overall extent of wildfires is shown in the table below:

Table 15 - Extent of Wildfi	ires
-----------------------------	------

Rating	Basic Description	Detailed Description
CLASS 1: Low	Fires not easily	Fuels do not ignite readily from small firebrands. Fires in
Danger (L)	started	open or cured grassland may burn freely a few hours after rain, but wood fires spread slowly by creeping or smoldering and burn in irregular fingers. There is little danger of
Color Code: Green		spotting.

Rating	Basic Description	Detailed Description
CLASS 2: Moderate Danger (M) Color Code: Blue	Fires start easily and spread at a moderate rate	Fires can start from most accidental causes. Fires in open cured grassland will burn briskly and spread rapidly on windy days. Woods fires spread slowly to moderately fast. The average fire is of moderate intensity, although heavy concentrations of fuel – especially draped fuel may burn hot. Short-distance spotting may occur, but is not persistent. Fires are not likely to become serious and control is relatively easy.
CLASS 3: High Danger (H) Color Code: Yellow	Fires start easily and spread at a rapid rate	All fine dead fuels ignite readily and fires start easily from most causes. Unattended brush and campfires are likely to escape. Fires spread rapidly and short-distance spotting is common. High intensity burning may develop on slopes or in concentrations of fine fuel. Fires may become serious and their control difficult, unless they are hit hard and fast while small.
CLASS 4: Very High Danger (VH) Color Code: Orange	Fires start very easily and spread at a very fast rate	Fires start easily from all causes and immediately after ignition, spread rapidly and increase quickly in intensity. Spot fires are a constant danger. Fires burning in light fuels may quickly develop high-intensity characteristics - such as long-distance spotting - and fire whirlwinds, when they burn into heavier fuels. Direct attack at the head of such fires is rarely possible after they have been burning more than a few minutes.
CLASS 5: Extreme (E) Color Code: Red	Fire situation is explosive and can result in extensive property damage	Fires under extreme conditions start quickly, spread furiously and burn intensely. All fires are potentially serious. Development into high-intensity burning will usually be faster and occur from smaller fires than in the Very High Danger class (4). Direct attack is rarely possible and may be dangerous, except immediately after ignition. Fires that develop headway in heavy slash or in conifer stands may be unmanageable while the extreme burning condition lasts. Under these conditions, the only effective and safe control action is on the flanks, until the weather changes or the fuel supply lessens.

Previous Occurrences

Northborough has a mixed fire department with professional firefighters supported by on-call volunteers. There have not been any major forest fires in Northborough in recent decades. During the period 2006-2015, there were 134 total forest and brush fire incidents, with 40 total acres

burned (Massachusetts Fire Incident Reporting System). Northborough issues permits for controlled burning of yard waste, and provides instructions and precautions for doing so. The map below illustrates wildfires of all types from 2006-2015. During this time, Northborough experienced fewer than 100 total acres burned.




Figure 4 - Wildfires statewide from 2001-2009

Below, the Northeast Wildfire Risk Assessment Geospatial Work Group shows statewide wildfire risk in 2009. According to this map, Northborough has a high risk of wildfires.






Figure 5 – Wildfire risk statewide, 2009

Probability of Future Events

In accordance with the Massachusetts Hazard Mitigation Plan, the Northborough Hazard Mitigation Team found it is difficult to predict the likelihood of wildfires in a probabilistic manner because the number of variables involved. However, based on regular previous occurrences of minor brush fires, the planning team determined the probability of future damaging wildfire events to be "moderate" (10 percent to 40 percent probability in the next year).

Climate scenarios project summer temperature increases between 2° C and 5° C and precipitation decreases of up to 15 percent. Such conditions would exacerbate summer drought and further promote high-elevation wildfires, releasing stores of carbon and further contributing to the buildup of greenhouse gases. Forest response to increased atmospheric carbon dioxide—the so-called "fertilization effect"—could also contribute to more tree growth and thus more fuel for fires, but the effects of carbon dioxide on mature forests are still largely unknown.

Climate change is also predicted to bring increased wind damage from major storms, as well as new types of pests to the region. Both increased wind and the introduction of new pests could potentially create more debris in wooded areas and result in a larger risk of fires.

Impact

While a large wildfire could in theory damage much of the landmass of Northborough, most forested areas are sparsely developed, meaning that wildfire affected areas are not likely to cause damage to property. For this reason, the town faces a "minor" impact from wildfires, with little damage likely to occur.

Both wildfires and brush fires can consume homes, other buildings and/or agricultural resources. The impact of wildfires and brush fires are as follows:

- Impact to benefits that people receive from the environment, such as food/water and the regulation of floods and drought
- Impact on local heritage, through the destruction of natural features
- Impact to the economy, due to damage to property and income from land following a wildfire
- Impact through the destruction of people and property

Vulnerability

Based on the above assessment, Northborough has a hazard risk index of "4 – low risk" from wildfires.

Utilizing the Town's total value of all property, \$2,676,580,000 (Massachusetts Dept. of Revenue, 2016), and an estimated 5 percent of damage to 1 percent of all structures, the estimated amount of damage from a wildfire is \$1,338,290. The cost of repairing or replacing the roads, bridges, utilities, and contents of structures is not included in this estimate.

4.7 Earthquakes

Hazard Description

An earthquake is a sudden, rapid shaking of the ground that is caused by the breaking and shifting of rock beneath the Earth's surface. Earthquakes can occur suddenly, without warning, at any time of the year. Ground shaking from earthquakes can rupture gas mains and disrupt other utility service, damage buildings, bridges and roads, and trigger other hazardous events such as avalanches, flash floods (dam failure) and fires. Un-reinforced masonry buildings, buildings with

foundations that rest on filled land or unconsolidated, unstable soil, and mobile homes not tied to their foundations are at risk during an earthquake.

Location

Because of the regional nature of the hazard, the entire Town of Northborough is susceptible to earthquakes. This makes the location of occurrence "large," or over 50 percent of the total area.

Extent

The magnitude of an earthquake is measured using the Richter Scale, which measures the energy of an earthquake by determining the size of the greatest vibrations recorded on the seismogram. On this scale, one step up in magnitude (from 5.0 to 6.0, for example) increases the energy more than 30 times.

Table 16

Richter Scale Magnitudes and Effects		
Magnitude	Effects	
< 3.5	Generally not felt, but recorded.	
3.5 - 5.4	Often felt, but rarely causes damage.	
5.4 - 6.0	At most slight damage to well-designed buildings. Can cause major damage to poorly constructed buildings over small regions.	
6.1 - 6.9	Can be destructive in areas up to about 100 kilometers across where people live.	
7.0 - 7.9	Major earthquake. Can cause serious damage over larger areas.	
8 or >	Great earthquake. Can cause serious damage in areas several hundred kilometers across.	

The intensity of an earthquake is measured using the Modified Mercalli Scale. This scale quantifies the effects of an earthquake on the Earth's surface, humans, objects of nature, and manmade structures on a scale of I through XII, with I denoting a weak earthquake and XII denoting an earthquake that causes almost complete destruction.

Table 17

Modified Mercalli Intensity Scale for and Effects			
Scale	Intensity	Description of Effects	Corresponding Richter Scale Magnitude
Ι	Instrumental	Detected only on seismographs.	
П	Feeble	Some people feel it.	< 4.2
III	Slight	Felt by people resting; like a truck rumbling by.	
IV	Moderate	Felt by people walking.	
V	Slightly Strong	Sleepers awake; church bells ring.	< 4.8
VI	Strong	Trees sway; suspended objects swing, objects fall off shelves.	< 5.4
VII	Very Strong	Mild alarm; walls crack; plaster falls.	< 6.1
VIII	Destructive	Moving cars uncontrollable; masonry fractures, poorly constructed buildings damaged.	
IX	Ruinous	Some houses collapse; ground cracks; pipes break open.	< 6.9
Х	Disastrous	Ground cracks profusely; many buildings destroyed; liquefaction and landslides widespread.	< 7.3
XI	Very Disastrous	Most buildings and bridges collapse; roads, railways, pipes and cables destroyed; general triggering of other hazards.	< 8.1
XII	Catastrophic	Total destruction; trees fall; ground rises and falls in waves.	> 8.1

Source: US Federal Emergency Management Agency

Previous Occurrences

Although New England has not experienced a damaging earthquake since 1755, seismologists state that a serious earthquake occurrence is possible. There are five seismological faults in Massachusetts, but there is no discernible pattern of previous earthquakes along these fault lines. Earthquakes occur without warning and may be followed by aftershocks. Most older buildings and infrastructure were constructed without specific earthquake resistant design features.

The most recent notable (Magnitude or Intensity 4 or greater) earthquakes to affect Massachusetts since 1900 are shown in the table below:

Table 18

Notable Earthquakes in Massachusetts 1900 – 2007			
Location	Date	Magnitude	MMI
Nantucket, MA	October 25, 1965	4.7	5.0
Cape Anne, MA	January 7, 1925	4.0	5.0
Wareham, MA	April 25, 1924	4.0	5.0
Newbury, MA	June 10, 1951	4.0	5.0

Source: Northeast States Emergency Consortium website, http://nesec.org/massachusetts-earthquakes/

Additionally, a table showing historic incidences of earthquakes for the six New England states is shown in the table below:

Table 19

State	Years of Record	Number of Earthquakes
Connecticut	1668 - 2007	137
Maine	1766 - 2007	544
Massachusetts	1668 - 2007	355
New Hampshire	1638 - 2007	360
Rhode Island	1776 - 2007	38
Vermont	1843 - 2007	73

Source: Northeast States Emergency Consortium website, http://nesec.org/massachusetts-earthquakes/

Probability of Future Events

One measure of earthquake activity is the Earthquake Index Value. It is calculated based on historical earthquake events data using USA.com algorithms. It is an indicator of the earthquake activity level in a region. A higher earthquake index value means a higher chance of earthquake events. Data was used for Worcester County to determine the Earthquake Index Value as shown in the table below:

Table 20

Earthquake Index for Worcester County

Worcester County	0.34
Massachusetts	0.70
United States	1.81
Source: USA.com	

The local Hazard Mitigation Team reports that no earthquakes have been felt in Northborough. Based upon existing records, there is a "very low" frequency (less than 1 percent probability in any given year) of an earthquake in Northborough.

Impact

Massachusetts introduced earthquake design requirements into their building code in 1975 and improved building code for seismic reasons in the 1980s. However, these specifications apply only to new buildings or to extensively-modified existing buildings. Buildings, bridges, water supply lines, electrical power lines and facilities built before the 1980s may not have been designed to withstand the forces of an earthquake. The first edition of the Massachusetts State Building Code went into effect on January 1, 1975, and 58.9% percent of the town's 5,253 occupied housing units was constructed in 1979 or earlier (American Communities Survey, 2015 5-year estimate). The seismic standards were upgraded with the 1997 revision of the State Building Code. Despite its older housing stock, Northborough faces a "minor" impact from earthquakes, with little damage likely to occur due to the extreme rarity of damaging events.

Vulnerability

Based on the above analysis, Northborough has a hazard index rating of "5- lowest risk" from earthquakes. HAZUS- MH (multiple-hazards) is a computer program developed by FEMA to estimate losses due to a variety of natural hazards. The HAZUS earthquake module allows users to define an earthquake magnitude and model the potential damages caused by that earthquake as if its epicenter had been at the geographic center of the study area. For the purposes of this plan, a magnitude 5.0 earthquake was selected for analysis. Historically, major earthquakes are rare in New England, although a magnitude 5 event occurred in 1963.

Table 21 - Estimated Damages from an Earthquake

	Magnitude 5.0
Building Characteristics	

	Magnitude 5.0
Estimated total number of buildings	5,000
Estimated total building replacement value (2014 \$)	\$ 2,131,000,000
Building Damages	
# of buildings sustaining slight damage	1,591
# of buildings sustaining moderate damage	863
# of buildings sustaining extensive damage	239
# of buildings completely damaged	62
Population Needs	
# of households displaced	120
# of people seeking public shelter	63
Debris	
Building debris generated (tons)	60,000
# of truckloads to clear debris (@ 25 tons/truck)	2,200
Value of Damages (dollars)	
Total property damage	\$259,510,000
Total losses due to business interruption	\$56,700,000

For more information on the HAZUS-MH software, go to www.fema.gov/hazus-software.

In addition to the general impacts identified by HAZUS, the planning team noted that most, if not all town buildings may be vulnerable to a substantial earthquake.

4.8 Dam Failure

Hazard Description

Dams and their associated impoundments provide many benefits to a community, such as water supply, recreation, hydroelectric power generation, and flood control. However, they also pose a potential risk to lives and property. Dam failure is not a common occurrence, but dams do represent a potentially disastrous hazard. When a dam fails, the potential energy of the stored water behind the dam is released rapidly. Most dam failures occur when extreme floodwaters overtop dams, causing rapid deterioration through erosion of upper dam surfaces. Often dam breeches lead to catastrophic consequences as the water rushes in a torrent downstream flooding an area engineers refer to as an "inundation area." The number of casualties and the amount of property damage will depend upon the timing of the warning provided to downstream residents,

the number of people living or working in the inundation area, and the number of structures in the inundation area.

Many dams in Massachusetts were built during the 19th century without the benefit of modern engineering design and construction oversight. Dams of this age can fail because of structural problems due to age and/or lack of proper maintenance, as well as from structural damage caused by an earthquake or flooding.

The Massachusetts Department of Conservation and Recreation Office of Dam Safety is the agency responsible for regulating dams in the state (M.G.L. Chapter 253, Section 44 and the implementing regulations 302 CMR 10.00). To be regulated, these dams are in excess of 6 feet in height (regardless of storage capacity) and have more than 15 acre-feet of storage capacity (regardless of height). Dam safety regulations enacted in 2005 transferred significant responsibilities for dams from the Commonwealth of Massachusetts to dam owners, including the responsibility to conduct dam inspections.

Location

According to the Massachusetts Office of Dam Safety, there are 16 dams in Northborough, of which 2 are High Hazard and 1 is Significant Hazard. The names and hazard levels of dam structures within Northborough are:

National			Hazard	
ID	Dam Name	Owner Type	Potential	Notes
				Needs repairs. Con.
				Comm. knows;
				repairs will have to be
MA00959	Bartlett Pond Dam	Public	Low Hazard	done as a community
			Significant	
MA00995	Asssabet River Dam	Private	Hazard	
	Cold Harbor Brook			
MA00996	Dam	Public	High Hazard	DCR
MA00998	Hop Brook Dam	Public	High Hazard	DCR
MA00999	Smith Pond Dam	Private	Low Hazard	
MA02845	Wallace Pond Dam	Private	N/A	
	Old Saw Mill Pond			
MA02846	Dam	Private	N/A	
MA02847	Old Adams Pond Dam	Private	N/A	
MA02848	Small Pond Dam	Private	N/A	

Table 22

National			Hazard	
ID	Dam Name	Owner Type	Potential	Notes
MA02849	Ellis Pond Dam	Private	N/A	
MA02850	Storage Pond Dam	Private	N/A	
MA02851	Cider Mill Pond Dam	Private	N/A	
MA02852	Old Mill Pond Dam	Private	N/A	
MA02853	Farm Pond Dam	Private	N/A	
	West Meadow Country			
MA02854	Club Pond Dam	Private	N/A	
MA02843	Old Mill Pond Dam	Private	N/A	

Inundation areas for these dams cover less than 10% of the town, or a "small" portion of its area.

Extent

Often dam or levee breaches lead to catastrophic consequences as the water ultimately rushes in a torrent downstream flooding an area engineers refer to as an "inundation area." The number of casualties and the amount of property damage will depend upon the timing of the warning provided to downstream residents, the number of people living or working in the inundation area, and the number of structures in the inundation area.

Dams in Massachusetts are assessed according to their risk to life and property. The state has three hazard classifications for dams:

- *High Hazard*: Dams located where failure or improper operation will likely cause loss of life and serious damage to homes, industrial or commercial facilities, important public utilities, main highways, or railroads.
- *Significant Hazard*: Dams located where failure or improper operation may cause loss of life and damage to homes, industrial or commercial facilities, secondary highways or railroads or cause interruption of use or service of relatively important facilities.
- *Low Hazard*: Dams located where failure or improper operation may cause minimal property damage to others. Loss of life is not expected.

Previous Occurrences

To date, there have been no catastrophic dam failures in Northborough.

Probability of Future Events

While Northborough has a moderate number of High and Significant Hazard dams, there are no reported previous dam failure events in the 150-plus years that dams have been present. Probability for future failure events is therefore "very low" with less than 1 percent chance of a dam bursting in any given year.

Impact

The Town faces a "limited" impact from failure of dams with, with 10 to 25 percent of the affected area likely to see damage.

It is not possible to estimate the property loss impacts of dam failure quantitatively given the large number of variables involved in failure events. Qualitatively, losses from failure of an individual dam could be significant but would be geographically limited to portions of the dam's inundation zone.

Vulnerability

In accordance with the Massachusetts Hazard Mitigation Plan, a quantitative vulnerability analysis could not be completed to estimate potential losses from a dam failure event. Based on a mostly qualitative assessment, Northborough has a hazard index rating of "4 – limited" from dam failure. Locally, there is specific concern about the Bartlett Pond Dam because of its need for repairs, however, it is Low Hazard and does not pose a significant vulnerability for the Town.

4.9 Drought

Hazard Description

Drought is a normal, recurrent feature of climate. It occurs almost everywhere, although its features vary from region to region. In the most general sense, drought originates from a deficiency of precipitation over an extended period of time, resulting in a water shortage for some activity, group, or environmental sector. Reduced crop, rangeland, and forest productivity; increased fire hazard; reduced water levels; increased livestock and wildlife mortality rates; and damage to wildlife and fish habitat are a few examples of the direct impacts of drought. Of course, these impacts can have far-reaching effects throughout the region and even the country.

Location

Because of this hazard's regional nature, a drought would likely impact the entire community, meaning the location of occurrence is "large" or over 50 percent of the town.

Extent

The severity of a drought would determine the scale of the event. Approximately 80% of Northborough residents and businesses are served by municipal water through the Massachusetts Water Resources Authority (MWRA). The MWRA sources water from the Quabbin and Wachusett reservoirs, which in the past have not experienced low level extremes. The remaining 20% of residents source water from private wells, and in recent years there have been no reports of wells running dry. The US Drought Monitor also records information on historical drought occurrence based on its categorization of drought on a D0-D4 scale as shown below.

Table 23	

U.S. Drought Monitor				
Classification	Category	Description		
D0	Abnormally Dry	Going into drought: short-term dryness slowing planting, growth of crops or pastures. Coming out of drought: some lingering water deficits; pastures or crops not fully recovered		
D1	Moderate Drought	Some damage to crops, pastures; streams, reservoirs, or wells low, some water shortages developing or imminent; voluntary water-use restrictions requested		
D2	Severe Drought	Crop or pasture losses likely; water shortages common; water restrictions imposed		
D3	Extreme Drought	Major crop/pasture losses; widespread water shortages or restrictions		
D4	Exceptional Drought	Exceptional and widespread crop/pasture losses; shortages of water in reservoirs, streams, and wells creating water emergencies		

Source: US Drought Monitor, http://droughtmonitor.unl.edu/.

Previous Occurrences

In Massachusetts, seven major droughts have occurred statewide between 1930 and the recentlynotable 2016 event, though the Northborough area has been spared the most severe impacts in each case according to USGS Water Supply Paper for Massachusetts #2375. These historic major droughts range in severity and in length, lasting from three to eight years. In many of these droughts, water-supply systems around the state were found to be inadequate. Water was piped in to urban areas, and water-supply systems were modified to permit withdrawals at lower water levels. The following table displays peak drought severity since 2000, from the US Drought Monitor:

Table 24


Annual Drought Status in Worcester County, Mass.			
Year	Maximum Severity		
2000	No drought		
2001	D2 conditions in 7% of the county		
2002	D2 conditions in 100% of the county		
2003	No drought		
2004	D0 conditions in 96% of the county		
2005	D0 conditions in 100% of the county		
2006	D0 conditions in 100% of the county		
2007	D1 conditions in 87% of the county		
2008	D0 conditions in 98% of the county		
2009	D0 conditions in 76% of the county		
2010	D1 conditions in 43% of the county		
2011	No drought		
2012	D2 conditions in 70% of the county		
2013	D1 conditions in 91% of the county		
2014	D1 conditions in 79% of the county		
2015	D1 conditions in 100% of the county		
2016	D3 conditions in 57% of the county		
2017	D1 conditions in 100% of the county		

Source: US Drought Monitor

Probability of Future Events

In Northborough, as in the rest of the state, extreme and exceptional droughts occur at a "very low" probability (1 to 10 percent in the next year). Based on past events and current criteria outlined in the Massachusetts Drought Management Plan, it appears that central Massachusetts may be slightly more vulnerable than parts of eastern Massachusetts to severe drought conditions. However, many factors, such as water supply sources, population, economic factors (i.e., agriculture based economy), and infrastructure, may affect the severity and length of a drought event. When evaluating the region's risk for drought on a national level, utilizing a measure called the Palmer Drought Severity Index from the National Drought Mitigation Center at the University of Nebraska, Massachusetts is historically in the lowest percentile for severity and risk of drought.

As with all communities in normally precipitation-rich Massachusetts, Northborough is unlikely to be adversely affected by anything other than a major, extended drought. While such a drought would require water saving measures to be implemented, foreseeable damage to structures or loss of life resulting from the hazard would likely be very limited, with modest increased risk of damaging forest or brush fires.



Impact

The impact of droughts is categorized by the U.S. Drought Monitor include:

- Slowing or loss of crops and pastures
- Water shortages or restrictions
- Minor to significant damage to crops, pastures;
- Low water levels in streams, reservoirs, or wells

Impacts in Northborough may vary among customers of the municipal water system and private well users, although no impact was felt by either group during the 2016 drought or during any drought in recent decades. Also in regards to the 2016 drought, Northborough residents were not instructed to restrict water use; however, the Town did promote conservation as they always do. So while the impact of a drought can be assessed as "minor" overall, with very little damage to people or property likely to occur, impacts may be higher in parts of town that are not located within the Town's water service area. Figure 6 below illustrates the geographic limits of the municipal water service area.

Agricultural impacts due to drought are generally not substantial in the area, and agriculture is a relatively insignificant industry in Northborough. On a county-wide scale, the extreme drought of 2016 caused crop failures on roughly 0.4% of all harvested cropland based on USDA loss claims and the Massachusetts Agricultural Census.

Vulnerability

Based on the above assessment, Northborough has a hazard index rating of "4 – low risk" from drought. Minimal or no loss of property, or damage to people or property is expected due to this hazard. Vulnerability is higher in areas outside the municipal water service area (see Figure 7).




Figure 6, Map of Northborough's Water System

4.10 Extreme Temperatures

Hazard Description

As per the Massachusetts Hazard Mitigation Plan, extreme cold is a dangerous situation that can result in health emergencies for susceptible people, such as those without shelter or who are stranded or who live in homes that are poorly insulated or without heat. There is no universal definition for extreme temperatures, with the term relative to local weather conditions. For Massachusetts, extreme temperatures can be defined as those that are far outside the normal ranges. The average temperatures for Massachusetts are:

- Winter (Dec-Feb) Average = 27.51°F
- Summer (Jun-Aug) Average = 68.15°F

Criteria for issuing alerts for Massachusetts are provided on National Weather Service web pages at www.weather.gov/box/criteria.

Location

Extreme temperatures can be expected to be fairly uniform across Northborough during a given weather event, due to the town's lack of extreme elevations, urban areas, and coastal areas. Therefore this hazard is of "large" geographic coverage.

Extent

As per the Massachusetts Hazard Mitigation Plan, the extent (severity or magnitude) of extreme cold temperatures are generally measured through the Wind Chill Temperature Index. Wind Chill Temperature is the temperature that people and animals feel when outside and it is based on the rate of heat loss from exposed skin by the effects of wind and cold. The chart shows three shaded areas of frostbite danger. Each shaded area shows how long a person can be exposed before frostbite develops. In Massachusetts, a wind chill warning is issued by the NWS Taunton Forecast Office when the Wind Chill Temperature Index, based on sustained wind, is –25°F or lower for at least three hours.

Extreme temperatures would affect the whole community.

Temperature (°F)																			
	Calm	40	35	30	25	20	15	10	5	0	-5	-10	-15	-20	-25	-30	-35	-40	-45
	5	36	31	25	19	13	7	1	-5	-11	-16	-22	-28	-34	-40	-46	-52	-57	-63
	10	34	27	21	15	9	3	-4	-10	-16	-22	-28	-35	-41	-47	-53	-59	-66	-72
	15	32	25	19	13	6	0	-7	-13	-19	-26	-32	-39	-45	-51	-58	-64	-71	-77
	20	30	24	17	11	4	-2	-9	-15	-22	-29	-35	-42	-48	-55	-61	-68	-74	-81
(H	25	29	23	16	9	3	-4	-11	-17	-24	-31	-37	-44	-51	-58	-64	-71	-78	-84
Wind (mph)	30	28	22	15	8	1	-5	-12	-19	-26	-33	-39	-46	-53	-60	-67	-73	-80	-87
) p	35	28	21	14	7	0	-7	-14	-21	-27	-34	-41	-48	-55	-62	-69	-76	-82	-89
Nin	40	27	20	13	6	-1	-8	-15	-22	-29	-36	-43	-50	-57	-64	-71	-78	-84	-91
	45	26	19	12	5	-2	-9	-16	-23	-30	-37	-44	-51	-58	-65	-72	-79	-86	-93
	50	26	19	12	4	-3	-10	-17	-24	-31	-38	-45	-52	-60	-67	-74	-81	-88	-95
	55	25	18	11	4	-3	-11	-18	-25	-32	-39	-46	-54	-61	-68	-75	-82	-89	-97
	60	25	17	10	3	-4	-11	-19	-26	-33	-40	-48	-55	-62	-69	-76	-84	-91	-98
	00	25	17.	10	5		-11	-19	-20	-33		-40	-33	-02	-09	-70	-0-4	-91	-90
Frostbite Times 🔤 30 minutes 📃 10 minutes 🧾 5 minutes																			
			W	ind	"hill	(0E) -	- 35	74 +	0.62	15T.	35	75(V	0.16	+ 0.4	275	r(v0.)	16)		
				intu v								Wind S						ctive 1	1/01/01
						tu lle	16/12			ure 7		anne e	- And	(inpit)			Line	cuver	,01/01

Wind Chills

For extremely hot temperatures, the heat index scale is used, which combines relative humidity with actual air temperature to determine the risk to humans. The NWS issues a Heat Advisory when the Heat Index is forecast to reach 100-104 degrees F for 2 or more hours. The NWS issues an Excessive Heat Warning if the Heat Index is forecast to reach 105+ degrees F for 2 or more hours. The following chart indicates the relationship between heat index and relative humidity:

Heat Index

_		~ -
la	ble	25

		80	82	84	86	88	90	92	94	96	98	100	102	104	106	108	110
	40	80	81	83	85	88	91	94	97	101	105	109	114	119	124	130	136
	45	80	82	84	87	89	93	96	100	104	109	114	119	124	130	137	
	50	81	83	85	88	91	95	99	103	108	113	118	124	131	137		
(%)	55	81	84	86	89	93	97	101	106	112	117	124	130	137			
lity	60	82	84	88	91	95	100	105	110	116	123	129	137				
Relative Humidity (%)	65	82	85	89	93	98	103	108	114	121	128	136					
еH	70	83	86	90	95	100	105	112	119	126	134						
ativ	75	84	88	92	97	103	109	116	124	132							
Rel	80	84	89	94	100	106	113	121	129								
	85	85	90	96	102	110	117	126	135								
	90	86	91	98	105	113	122	131									
	95	86	93	100	108	117	127										
	100	87	95	103	112	121	132										
Cat	egory			Heat	Index					H	lealth	Hazar	ds				
Extre	eme Dai	nger	1	30 °F –	Higher	Hea	t Stroke	or Sun	stroke i	s likely	with co	ntinued	exposu	re.			
Danger 105 °F – 129 °F					Sunstroke, muscle cramps, and/or heat exhaustion possible with prolonged exposure and/or physical activity.												
Extreme Caution 90 °F -				90 °F –	105 °F		stroke, osure al				r heat e	xhaustio	ons pos	sible wi	th prolo	nged	
Caut	Caution 80 °F – 90 °F				Fati	Fatigue possible with prolonged exposure and/or physical activity.											

Previous Occurrences

The following are some of the lowest temperatures recorded in parts of Massachusetts for the period from 1895 to present (Source: NOAA, www.ncdc.noaa.gov.). Northborough's temperature range is essentially the same as in Worcester, located some 10 miles away and at a similar elevation.

- Blue Hills, MA: -21° F
- Boston, MA: $-12^{\circ}F$
- Worcester, MA: -19°F

The following are some of the highest temperatures recorded for the period from 1895 to present (also NOAA):

- Blue Hills, MA: 101°F
- Boston, MA: 102°F
- Worcester, MA: 96°F

Probability of Future Events

The probability of future extreme heat and extreme cold is considered to be "moderate," or between 10 and 40 percent in the next year.

Impact

The impact of extreme heat or cold in Northborough is considered to be "limited," with no property damage and very limited effect on humans. Extreme temperatures are of some concern for the local Hazard Mitigation Team due to health threats to the very young and very old.

Vulnerability

Northborough's vulnerability from extreme heat and cold is considered to be, "4 - Low Risk."

4.11 Other Hazards

In addition to the hazards identified in previous sections, the Hazard Mitigation Team reviewed the other hazards listed in the Massachusetts Hazard Mitigation Plan: coastal hazards, atmospheric hazards, ice jams, coastal erosion, sea level rise, nor'easters, and tsunamis. It was determined that these hazards are either irrelevant to Northborough due to the town's location, or in the case of nor'easters, that the hazard is already included within another hazard described above (severe winter storms).

One other hazard that can affect Northborough is landslides. Landslides occur in all U.S. states and territories. In a landslide, masses of rock, earth, or debris move down a slope. Landslides may be small or large, slow or rapid. They are generally activated by:

- storms
- earthquakes
- volcanic eruptions
- fires
- alternate freezing or thawing
- steepening of slopes by natural erosion or by human modification

Debris and mud flows are rivers of rock, earth, and other debris saturated with water. They develop when water rapidly accumulates in the ground, during heavy rainfall or rapid snowmelt, changing the earth into a flowing river of mud or "slurry." They can flow rapidly, striking with little or no warning at avalanche speeds. They also can travel several miles from their source, growing in size as they pick up trees, boulders, cars, and other materials.

There are no documented previous occurrences of significant landslides in Northborough. The town is relatively flat, aside from Mount Pisgah, which is over twice as elevated as Northborough. Most of Northborough's rivers are slow moving and frequently dammed, which can minimize landslide risk. Roadways are not generally built close to river channels, reducing undercutting risk from stormwater-induced bank erosion. Should a landslide occur in the future in Northborough, the type and degree of impacts would be highly localized. Vulnerabilities could include damage to structures, damage to transportation and other infrastructure, and localized road closures, though our data review and the local planning team noted no specific concerns. Injuries and casualties, while possible, would be unlikely given the low extent and impact of landslides in Northborough.

Northborough, like nearly all communities in the CMRPC region, is categorized in the Massachusetts Natural Hazard Mitigation Plan as a low incidence/low susceptibility area for landslide hazards based on review of past occurrences. Landslides are therefore considered low frequency events that may occur once in 50 to 100 years (a 1% to 2% chance of occurring per year).

4.12 Impacts of Climate Change on Hazards

Over the next several decades, climate change can be expected to exacerbate many of the hazards described previously in this chapter. This section identifies the impacts that a changing climate may have on Northborough's hazard risk profile going forward. Sources for this section include:

- Northeast Climate Impacts Assessment (NECIA) (2007)
- Massachusetts Climate Change Adaptation Report (2011)
- Massachusetts Multi-Hazard Mitigation Plan (2013)

Expected Changes

The NECIA and state Climate Change Adaptation Report offer Massachusetts state-level predictions for temperature and precipitation for upcoming decades, which show dramatic increases in both measures:

Table 26				
	Category	Current (1961-1990 avg.)	Predicted Change 2040-2069	Predicted Change 2070-2099

Average Annual Temperature (°F)	46°	50°to 51°	51° to 56°
Average Winter Temperature (°F)	23°	25.5° to 27°	31° to 35°
Average Summer Temperature (°F)	68°	69.5° to 71.5°	74° to 82°
Days over 90 °F	5 to 20 days	-	30 to 60 days
Days over 100 °F	0 to 2 days	-	3 to 28 days
Annual Precipitation	41 inches	43 to 44 inches	44 to 47 inches
Winter Precipitation	8 inches	8.5 to 9 inches	9 to 10.4 inches
Summer Precipitation	11 inches	10.9 to 10.7 inches	10.9 to 11 inches

Flooding

A warming climate is expected to lead to higher precipitation. The Massachusetts Multi-Hazard Mitigation Plan estimates that precipitation will increase 6 to 14% by mid-century, with an increased frequency of floods meeting current 10-year flood levels. Much of the winter precipitation increase is projected to be in the form of rain rather than snow, which may actually reduce peak spring flooding but could lead to more frequent winter runoff events. Overall, the frequency of flooding events and their impacts on people and property can be expected to increase over time, largely in locations that are already of flood concern. Public health may be impacted through increased mosquito populations, which depend on the availability of standing water.

Severe Snowstorms/Ice Storms/Nor'easters

The Massachusetts Multi-Hazard Mitigation Plan estimates that as the climate warms, winter snowfall will be reduced and will generally fall later in the winter season. The Climate Change Adaptation Report predicts that snowfall events will decline over time from around 5 per month during winter to 1 - 3, but that the frequency of the strongest winter storms may actually increase until winter average temperatures warm above the freezing point late in the century. Overall, the risk from winter storms to people and property can be expected to decline.

Hurricanes

The Massachusetts Multi-Hazard Mitigation Plan notes that there is still a great deal of uncertainty about the impacts of climate change on hurricanes and tropical storms, but that the limited evidence available indicates that stronger storms (Category 4 and 5) are becoming more frequent. Overall, the risk from hurricanes and their associated flooding can be expected to increase.

Severe Thunderstorms/Wind/Tornado

Evidence shows that severe weather including thunderstorms, damaging wind and tornados is already increasing as temperatures rise. The Massachusetts Multi-Hazard Mitigation Plan notes

that smaller storm events are becoming less frequent, while more severe storms are becoming more common. Overall, the risk from severe storms can be expected to increase.

Wildfire/Brush Fire

The Massachusetts Multi-Hazard Mitigation Plan projects summer rainfall to decrease as much as 15% in the next decades. In combination with higher temperatures and winds, this drop in precipitation would contribute to additional fire risk. Forest response to increased atmospheric carbon dioxide – the so-called fertilization effect – could also contribute to more tree growth and thus provide more fuel for wildfires. Climate change may increase winds that spread fires. Faster fires are harder to contain, and thus are more likely to expand into residential neighborhoods. Reduced stream flows and pond depths may also impact the number and quality of access points for rural firefighting, but this isn't of particular concern to communities like Northborough where much of the town's area is covered by shared water services. Overall, the risk from wildfires to people and property can be expected to increase.

Earthquake

Climate change is not expected to significantly impact the risk from earthquakes. The state Multi-Hazard Mitigation Plan notes that there may be additional earthquake risk in conjunction with other hazards such as higher rainfall (which can contribute to soil liquefaction during earthquakes), but that research is not yet mature. At this time, overall risk from earthquake to people and property can be expected to stay around the same as the current risk level.

Dam Failure

The Massachusetts Multi-Hazard Mitigation Plan does not note major concerns about catastrophic dam failure due to climate change. It does, however, mention that increased heavy rainfall events may lead to more frequent dam design failures, in which spillways overflow due to flow rates exceeding design capacity. This type of failure may have a secondary result of increased riverine flooding below dams. Overall, the risk from dam failure to people and property can be expected to stay around the same as the current risk level.

Drought

While the projections noted above show overall increases in precipitation going forward, summer rainfall is actually expected to decline slightly as the climate warms, raising the risk of seasonal droughts. According to the Massachusetts Multi-Hazard Mitigation Plan, droughts are expected to

increase in frequency, severity and length. The Massachusetts Climate Change Adaptation Report finds that by the end of the century, under a high carbon emissions scenario, the occurrence of droughts lasting one to three months could go up by as much as 75% over existing conditions. Secondary to drought, wildfire risk can be expected to rise. Overall, the risk from drought to people and property can be expected to increase.

Extreme Temperatures

According to records of the US Historical Climatology Network, average temperatures have increased about 0.2 degrees C (0.5°F) per decade since 1970. These higher average temperatures have primarily been the result of warmer winters (December through March), during which there has been an increase of 1.3°F per decade since 1970. In addition to average temperature increases, the number of extremely hot and record heat days has also increased: the number of days with temperatures of 90°F and higher throughout the Northeast has doubled during the past 45 years. As noted in the table elsewhere in this section, the number of days exceeding 90 degrees is expected to surge several times over, presenting a health risk to young children, the elderly, and to persons with various health conditions. Overall, the risk from extreme temperatures to people and property can be expected to increase.

5.0 CRITICAL FACILITIES & VULNERABLE POPULATIONS

A Critical Facility is defined as a building, structure, or location which:

- Is vital to the hazard response effort.
- Maintains an existing level of protection from hazards for the community.
- Would create a secondary disaster if a hazard were to impact it.

5.1 Critical Facilities within Northborough

The Critical Facilities List for the Town of Northborough has been identified utilizing several sources, and the knowledge and expertise of the team:

- Northborough's Comprehensive Emergency Management Plan
- MassGIS data
- Critical infrastructure mapping undertaken by CMRPC under contract with the Central Region Homeland Security Advisory Council, which is charged by the Executive Office of Public Safety and Security to administer and coordinate the State Homeland Security Grant for central Massachusetts.

Northborough's Hazard Mitigation Team has broken up this list of facilities into four categories:

- Emergency Response Facilities needed in the event of a disaster
- Non-Emergency Response Facilities that have been identified by the Team as nonessential. These are not required in an emergency response event, but are considered essential for the everyday operation of Northborough
- Dams
- Facilities/Populations that the Team wishes to protect in the event of a disaster

Critical infrastructure and facilities are mapped in Appendix A.

Category 1 – Emergency Response Facilities

The Town has identified the Emergency Response Facilities and Services as the highest priority in regards to protection from natural and man-made hazards.

1.	. Emergency Operations Center/Police Station					
	Police Dept./EOC	211 Main Street				
-						
2.	Fire Station					
	Fire Department	11 Pierce Street				
3.	Communications Facilities					
	Police/Fire Receiver, Fire Dept. Repeater	9000 Shops Way				
	Tower – Radio	79 Bartlett Street				
	Voter – Radio	300 Ball Street				
	Voter	300 West Main Street				
	Tower – Government	25 Gale Street				
	Tower	348 Church Street, generator				
	Tower – Rooftop	456 Main Street				
	Tower	386 West Main Street				
	Cell Site	4 West Main Street				
	Cell Site	40 Church Street				
	Cell Tower	211 Main Street				
	Verizon	125 High St. Oliver Tower Fl 2, Shrewsbury				
	Crown Castle	273 Southwest Cutoff				
4.	Highway Department					
-	DPW	63 Main Street				
	DPW Barn	190 Main Street				

DPW Water Barn MA Highway Depot 200 School St at Brigham Street 138 Lawrence Street

5. Primary Evacuation Routes

I-290 Belmont Street/MA-9 Church Street Main Street West Main Street Southwest Cutoff/US- 20 South Street/MA-135

6. Critical Bridges, Intersections, and Sites

Bridge 27 Allen Street Bridge 10 Church Street Bridge 55 Lyman Street Bridge 12 Rice Avenue Bridge 429 Whitney Street Bridge **418 Davis Street** Bridge - I-290 overpass 202 Brewer Street Bridge - MA- 135 370 South Street at Davis Street Bridge - US- 20 410 Main Street Church St & I-290 Hudson Street at Marlborough boundary Hudson Street & Solomon Pond Rd US-20 at Marlborough boundary MA-135 & West Main Street US-20 & West Main Street MA-135 at Westborough boundary Solomon Pond Road & I-290 West Main Street at Shrewsbury boundary 68 Otis Street Crawford Street & Stone Bridge MA-135 at Town line I-290 overpass at Whitney Street MA-9 & Southwest Cutoff

7. Urgent Care

MedPost 10002 Shops Way

Carewell 333 Southwest Cutoff

Category 2 – Non-Emergency Response Facilities

The Town has identified these facilities as non-emergency facilities; however, they are considered essential for the everyday operation of Northborough.

1.	Water Supply	
	Assabet Hill 3.5MG Storage Tank	25 Gale Street
	Edmunds Hill 1MG Storage Tank	16 Edmunds Way
	DPW Water Barn	200 School Street at Brigham Street
	Public Water Supply, Former MWRA connection	177A Hudson Street
	Well – Public	200 Brigham Street
	Well – Public	108 Crawford Street
	Well – Public	87 Howard Street
	Well – Public	40 Lyman Street
	Cistern, out of service	52 Moore Lane
	Cistern, out of service	277 Green Street
	Cistern	60 Old Colonial Road
	Cistern, not used	241 Southwest Cutoff
	Draft Site	32 Colburn Street
	Draft Site	222 Green Street
	Draft Site	4 Hillside Road
	Draft Site	109 Howard Street
	Draft Site	424 Howard Street
	Draft Site	5 Howe Lane
	Draft Site	38 Lyman Street, Westborough
	Draft Site	90 Maynard Street
	Draft Site	320 Newton Street
	Draft Site	2 Tomblin Hill Road
	Draft Site	261 West Street
	Draft Site	2 Smith Road
	Draft Site	37 Fisher Street
	Draft Site	309 Ball Street
	Draft Site	55 Bearfoot Road
	Draft Site	65 West Street/Pond at Roadside
	Draft Site	257 West Street/Pond 625ft from
		West Street

Aqueduct – Hultman

Aqueduct - Wachusett Cosgrove

2. Town Facilities

Town Hall Senior Center Cable TV Access Gale Library

3. Utilities

CSX Rail Line Railroad dock – private CSX Rail Line crossing Crown Castle Verizon National Grid Service Center National Grid Woodside National Grid Distribution Center Wastewater Pump Station **Booster Pump Station Booster Pump Station** Sewer Station Natural Gas Line **Osterman** Propane Northborough Oil Co. Lakeside Oil Co Tradebe Treatment & Recycling Closed Landfill

63 Main Street119 Bearfoot Road79 Bartlett Street, ARHS34 Main Street

360 Cedar Hill St. at Marlborough City line 66 Lyman Street 175 Bearfoot Road 100 Brigham Street 15 Main Street 31 Pierce Street **50 School Street** 119 Colburn Street 11 School Street 55 Bearfoot Road 193 Hudson Street 1152 Main Street 79 Bartlett Street 119 Bearfoot Road 11R Church Street 30 Forbes Road 282 Hudson Street 76 Lincoln Street 75 Otis Street 306 Southwest Cutoff 101 Wesson Terrace Church Street at Autumn Lane Southwest Cutoff at Shops Way 235 West Main Street Belmont Street 998 Church Street 247 W Main Street 244 Main Street 345 West Main Street Southwest Cutoff

4. Natural Resources and Natural Resource Protection Organizations

- Assabet RiverHop BrookStirrup BrookSUASCO Project Cold Harbor BrookSUASCO Project Hop BrookSUASCO Project Hop BrookCentral MA Mosquito Project111 Otis Street
- 5. Misc. U.S. Post Office

235 West Main Street

Category 3 – Dams

A list of dams in Northborough is included in Chapter 4 under Dam Failure.

Category 4 – Facilities/Populations to Protect

1. Special Needs Population/Apt Complexes/Assisted Living/Housing Authorities

Beaumont/Whitney Place	238 West Main Street
Coleman House	112 West Main Street
TeamWorks, Inc.	185 Otis Street
The Bridge of Central Mass	59 Main Street
Avalon Bay Apartments	14 Avalon Drive
Housing Authority – Heritage Village	5 to 19 Center Drive
Housing Authority – Rutland Rd	2 Rutland Road
Housing Authority – Colonial Village	26 Village Drive

2. Schools/Daycare

(*Please note: The EMD has a list of current daycare facilities but these can change locations and addresses frequently, so this list should be revisited periodically.*)

Melican Middle School	145 Lincoln Street
Algonquin Regional High School	79 Bartlett Street
Fitzgerald Institute	261 Main Street
Lincoln St School	76 Lincoln Street
Peaslee School	31 Maple Street
Proctor School	26 Jefferson Road
St. Bernadette's School	266 Main Street
Zeh School	33 Howard Street

Cornerstone Academy	5 Oak Avenue
Goddard School	10 Davis Street
AMEGA	71 Lyman Street
Skribbles Learning Center, LLC	348 Main Street
Skribbles Learning Center, LLC	325 West Main Street
Nativity Nursery School	45 Howard Street
ARHS – Tiny Tomahawks	79 Bartlett Street
aith Based Institutions	
Church of Christ	456 West Main Street
Church of the Nativity	45 Howard Street
First Parish Unitarian Church	40 Church Street
Jehovah Witness Church	419 Main Street
Rice Memorial Baptist Church	85 Lincoln Street

3. Fa

Church of Christ
Church of the Nativity
First Parish Unitarian Church
Jehovah Witness Church
Rice Memorial Baptist Church
Seventh Day Adventist Church
Shri Gurusthan Sai Temple
St. Bernadette's Church
St. Rose of Lima Church
Trinity Church

30 Brigham Street 107 Otis Street 266 Main Street 244 West Main Street 23 Main Street

4. Historic Buildings/Sites

According to the Massachusetts Cultural Resources Information System (MACRIS) online database accessed in July 2016, there are 19 Areas, 322 Buildings, 2 Burial Grounds, 6 Objects, and 18 Structures listed for Northborough. The Local Team did not specifically identify any of these sites as Critical Facilities or Infrastructure.

5. Employment Centers

Based on data obtained from the Massachusetts Executive Office of Labor and Workforce Development (EOLWD), the following table shows the largest employers in Northborough:

Largest Employers in Northborough - July 2016						
Company	Location	No. of Employees				
Wegmans	Shops Way	500-999				

Table 27

Worcester Polytechnic Institute	Avalon Drive	500-999
Metso Automation USA Inc	Bearfoot Road #3	250-499
Saint-Gobain Ceramic Materials	Goddard Road	250-499
Zoo Cable	Otis Street	250-499
Algonquin Regional High School	Bartlett Street	100-249
Aspen Aerogels Inc.	Forbes Road #B	100-249
Bigelow Nurseries Inc	W. Main Street	100-249
Boston Group	SW Cutoff #100	100-249
Home Instead Senior Center	W. Main St. #14	100-249

Source: EOLWD

6. Other Economic Infrastructure

Bartlett Crossing	291 Main Street
Juniper Hill Golf Course	202 Brigham Street
Cold Harbor Mall	369 West Main Street
Northborough Shopping Plaza	265 West Main Street
Post Road Marketplace	318 Main Street
Shopping Center	292 Main Street
Shopping Center (2)	276 West Main Street
Times Square Plaza	299 West Main Street
Iron Mountain	171 Bearfoot Road
Wegmans	9102 Shops Way
BJ's Wholesale Club #211	6102 Shops Way
Advocates, Inc	152 East Main Street
Econolodge	380 Southwest Cutoff
Motel 6 Boston-Westborough	115 Lawrence Street
A. Duie Pyle Inc.	210 Bartlett Street
FedEx Freight, Inc	300 Bartlett Street
Aspen Aerogels	30 Forbes Road
NewCorr Pkg., LTD	66 Lyman Street

St. Gobain R & D Center	9 Goddard Road
Steris AST	435 Whitney Street
Trelleborg Sealing Solutions	10 Forbes Road
Sanofi Genzyme Op Centre, Inc.	11 Forbes Road
Walmart	200 Otis Street
Northborough Crossing Mall	1000-9116 Shops Way
Bigelow Nurseries, Inc.	455 West Main Street
BJ's Wholesale Club, gas station	1106 Shops Way
Cumberland Farms	15 Main Street
Northborough Center Mobil	36 West Main Street
Northborough Sunoco	7 Belmont Street
Peterson – Northboro (Irving)	23 Belmont Street
Speed Energy	48 W Main Street
Top Energy	345 W Main Street

7. Development

The Town of Northborough is a suburban town with large business districts along several major highways that intersect the town I-290, US-20, MA-135 and MA-9. The intersection of these factors contributes to the ongoing development and redevelopment throughout the town. There are multiple industrial and commercial development projects that are currently underway. At 333 Southwest Cutoff there is a 29 acre project which includes 3 retail shops a restaurant and UMass Urgent Care Facility. 10,000 Shops Way is a 19-acre site which has 42,000 sf retail building include: Mooyah's restaurant, Jimmy John's restaurant, Hanto restaurant, Lux Nails, Sport Clips, Oasis Dental, St. Vincent medical offices, Anytime Fitness, Huntington Learning Center, and Pure Barre Fitness. All subdivisions and new development are rigorously reviewed by the Planning Board, Fire, Police and other Departments to ensure the subdivision is constructed per bylaws and to ensure emergency vehicle access to the development

There are also numerous residential construction projects that have been recently completed or are under construction. 172 Howard Street is a 5-lot subdivision, there are many single-family dwellings being constructed across town. If formal approval is eventually made by appropriate boards due consideration should be given to the protection of the residences. The clearing of brush and trees will lessen the change of a wildfire however, an increase in storm runoff is possible, proper drainage will be necessary so disruption to surrounding properties is mitigated. Development is generally less vulnerable to hazards: stormwater drainage is improved, trees are trimmed back from structures and power lines, roads are built wide enough to allow emergency vehicles to enter, and modern building codes are followed, and setbacks from wetlands are required. The Town and various responsible boards and commissions should ensure these and other developments are taking into account potential and known hazards and ensure mitigation of the hazards occurs when needed. Northborough utilizes various methods to ensure new development conforms with current Massachusetts General Laws and the Town's Bylaws. The Planning Board, Conservation Commission and Zoning Board of Appeals (ZBA) all take into account water resource preservation, open space and in the case of the ZBA, to hear and decide appeals. These reviews include specific evaluation criteria that are relevant to natural hazards - including requirements for preventing and mitigating flooding and stormwater impacts. Town Bylaws are amended and updated on an as needed basis to adapt to the needs and shifting forces that affect the town.

As the population of Northborough continues to grow and additional development occurs, officials should seek to further integrate hazard mitigation practices into its planning and development processes. The Town of Northborough is in the process of updating its Master Plan, which will provide an opportunity to identify threats and prioritize strategies to address them. Climate change according to current predications will lead to an increase in extreme storm events, including more rain in shorter amounts of time. Planning for the future impacts of climate change is imperative to protect the citizens of Northborough.

8. Environmental Justice and Vulnerable Populations

The US Environmental Protection Agency defines Environmental Justice (EJ) as the fair treatment and meaningful involvement of all people regardless of race, color, national origin, or income, with respect to the development, implementation, and enforcement of environmental laws, regulations, and policies. Within the context of natural hazards and their mitigation, potential EJ concerns may arise from income-related factors, discrimination (overt or institutional), cultural isolation and barriers, language isolation, lack of transportation access, and disability (especially among the elderly).

In 2015, as part of its Mobility 2040 long range transportation plan, CMRPC identified disproportionate concentrations of EJ and other vulnerable populations at the US Census block group level throughout Central Massachusetts. Thresholds used in this identification process included various metrics from the 2010 Census and 2013 American Community Survey:

- Lower income households (median income below \$50,259/year); or
- Minority residents (20.3% or more of population); or
- Hispanic or Latino residents (14.0% or more of population); or
- Language isolated households (9.45% or more of population); or

- Zero vehicle households (12.75% or more of population); or
- Households with persons 75+ years of age (18.8% or more of population); or

There are no EJ areas in Northborough.

More information regarding the identification of Environmental Justice and Vulnerable populations in the Central Massachusetts region can be found online at <u>www.cmrpc.org/mobility2040</u>.

6.0 EXISTING PROTECTION

The Town of Northborough currently makes use of most available locally-controlled tools to mitigate the consequences of natural hazards: zoning regulations, planning, and physical improvements. The Town does not participate in any federal programs such as StormReady certification or Firewise community certification, but it does plan to research the utility of public awareness and education programs as a result of this planning process.

Northborough has most of the no-cost or low-cost hazard mitigation capabilities in place. Land use zoning, subdivision regulations and an array of specific policies and regulations that include hazard mitigation best practices, such as limitations on development in floodplains, stormwater management, tree maintenance, etc. Northborough also has appropriate staff dedicated to hazard mitigation-related work for a community of its size, including an Emergency Management Director/Fire Chief, Town Planner, and a professionally run Department of Public Works. Northborough has several relevant plans in place, including a Comprehensive Emergency Management Plan, Open Space and Recreation Plan (2010), and is working to update their Master Plan. Not only does Northborough have these capabilities in place, but they are also deployed for hazard mitigation, as appropriate. The Town also has very committed and dedicated volunteers who serve on Boards, Commissions and Committees and in other volunteer positions. The Town collaborates closely with surrounding communities through its Local Emergency Planning Committee (LEPC), and is also an active member community of the Central Massachusetts Regional Planning Commission (CMRPC) and can take advantage of no cost local technical assistance as needed provided by the professional planning staff at CMRPC.

The table below describes existing mitigation protections in Northborough. It includes a brief description of each activity as well as a subjective evaluation of its effectiveness and of any need for modifications.

6.1 Existing Protection Matrix

Table 28

Existing Measure	Description	Action	Effectiveness & Recommendations
Participation in National Flood Insurance Program (NFIP)	Provides flood insurance for structures located in flood- prone areas. Also, communities participating in the NFIP have adopted and enforce ordinances, bylaws and regulations that meet or exceed FEMA requirements to reduce the risk of flooding.	Northborough monitors building activity within the flood plain to ensure compliance with provisions of state building code.	Effective There are no repetitive loss properties in Northborough. Northborough should seek to further limit development in the 100-year flood zones. It should work to score in the Community Rating System (CRS) under NFIP to enable its residents to obtain lower flood insurance rates. Northborough should educate its residents about NFIP.
Stormwater Management policy and regulations in place	Planning Boards or Conservation Commissions review projects for consistency with MA DEP standards. This helps ensure adequate on site retention and recharge.	Northborough enacted Stormwater Management Regulations which is included in the Town's General Bylaws. Northborough also participates in the Central Mass Stormwater Coalition.	Very effective No changes recommended

Existing Measure	Description	Action	Effectiveness & Recommendations
Local Open Space and Recreation Plan	Local plan identifying significant natural resources and identifying mechanisms to ensure their protection. Following Mass. Department of Conservation and Recreation guidance for development of OSRPs, this document does not focus on specific hazards. Open Space Plans can provide many tools. Towns must commit to making the land acquisitions and regulatory changes, giving increased attention to preserving undeveloped flood-prone areas and associated lands	Northborough's Open Space and Recreation Plan was issued in 2010.	Somewhat effective Plan is expired as of 2015. Northborough should prepare plan update as per Mass. DCR guidance. Where allowable, Northborough should use the update to integrate hazard mitigation activities and recommendations.
Separated Stormwater and Sewer Collection systems	Stormwater and municipal sewer systems remain separate to eliminate CSO's and SSOs, which compromise water quality and can increase flood risk during heavy storm events	Approximately 70% of the town is on private septic systems. Northborough completed a Comprehensive Wastewater Management Planning Process in 2007, which is s a 30-year sewer master plan to determine where there are needs for sewer and to determine the best way to meet the need.	Very effective No changes recommended

Existing Measure	Description	Action	Effectiveness & Recommendations
Drainage system maintenance and repair program	Plan to keep municipal drainage facilities (storm drains, culverts, etc.) in good order	Northborough performs street sweeping and catch basin cleaning from April to November.	Effective Northborough should examine a public education program for residents on storm drain clearance and other best practices
Tree Trimming	Plan to ensure routine maintenance of trees to reduce likelihood of vegetative debris in response to storm events	Northborough conducts roadside mowing from April-November to remove juvenile trees. Tree trimming (take-downs and clearing dead branches) takes place as needed by the DPW as well as by National Grid, whom Northborough has a positive relationship with.	Effective Northborough should continue to work with its electrical utility to coordinate a more systematic tree trimming program
Culvert Maintenance and Replacement	through regular maintenance and	The Town has historically maintained and replaced problem culverts when needed and as funding allows.	Somewhat effective Current efforts are piecemeal and are limited by lack of resources and systematic approach. Northborough should develop a prioritized inventory of problem culverts for use in seeking external financial support. Planning must comply with 2014 Mass. Wetlands Protection Act update; culverts may not be replaced in- kind.

7.0 MITIGATION STRATEGY

The Northborough hazard mitigation planning team developed a list of mitigation strategies (both new and previously identified by local officials) and prioritized them using the criteria described below. This list of factors is broadly derived from FEMA's STAPLE+E feasibility criteria.

7.1 Impact

The team's consideration of each strategy included an analysis of the mitigation impact each can provide, regardless of cost, political support, funding availability, and other constraints. The intent of this step is to separately evaluate the theoretical potential benefit of each strategy to answer the question: if cost were no object, what strategies have the most benefit? Factors considered in this analysis include the number of hazards each strategy helps mitigate (more hazards equal higher impact), the estimated benefit of the strategy in reducing loss of life and property (more benefit equals higher impact) based on the relevant hazard(s) as assessed in Chapter 4, and the geographic extent of each strategy's benefits (other factors being equal, a larger area equals higher impact).

- **High Impact** actions that help mitigate several hazards, substantially reduce loss of life and property (including critical facilities and infrastructure), and/or aid a relatively large portion of the community
- **Medium Impact** actions that help mitigate multiple hazards, somewhat reduce loss of life and property (including critical facilities and infrastructure), and/or aid a sizeable portion of the community
- **Low Impact** actions that help mitigate a single hazard, lead to little or no reduction in loss of life and property (including critical facilities and infrastructure), and/or aid a highly-localized area

7.2 Priority

Following the ranking of each strategy for its mitigation impact, real world considerations were brought back into the analysis to inform the priority ranking process. Factors considered in this step include costs and cost effectiveness (including eligibility and suitability for outside funding), timing, political and public support, and local administrative burden.

Costs and cost effectiveness – in order to maximize the effect of mitigation efforts using limited funds, priority is given to low-cost strategies. For example, regular tree maintenance is a relatively low-cost operational strategy that can significantly reduce the length of time of power outages during a winter storm. Strategies that have clear and viable potential funding streams, such as

FEMA's Hazard Mitigation Grant Program (HMGP), are also given higher priority.

Time required for completion - Projects that are faster to implement, either due to short work duration, current or near-term availability of funds, and/or ease of permitting or other regulatory procedures, are given higher priority.

Political and public support - Strategies that have demonstrated political and/or public support through positive involvement by the public or prioritization in previous regional and local plans and initiatives that were locally initiated or adopted are given higher priority.

Administrative burden – Strategies that are realistically within the administrative capacity of the town and its available support network (CMRPC, Local Emergency Planning Committee, etc.) are prioritized. Considerations include grant application requirements, grant administrative requirements (including audit requirements), procurement, and staff time to oversee projects.

- **High Priority** strategies that have obvious mitigation impacts that clearly justify their costs and to a large degree can be funded, can be completed in a timely fashion, can be administered effectively, and are locally supported
- **Medium Priority** strategies that have some clear mitigation impacts that generally justify their costs and generally can be funded, can be completed in a timely fashion, can be administered effectively, and are locally supported
- Low Priority strategies that have relatively low mitigation impacts that do not necessarily justify their costs and that may have difficulty being funded, completed in a timely fashion, administered effectively, and locally supported

7.3 Estimated Cost

Each implementation strategy is provided with a rough cost estimate based on available third-party or internal estimates and past experience with similar projects. Each includes hard costs (construction and materials), soft costs (engineering design, permitting, etc....), and where appropriate Town staff time (valued at appx. \$25/hour for grant applications, administration, etc....). Projects that already have secured funding are noted. Detailed and current estimates were not generally available, so costs are summarized within the following ranges:

- **Low** less than \$50,000
- **Medium** between \$50,000 \$100,000
- **High** over \$100,000

Timeline

Each strategy is provided with an estimated length of time it will take for implementation. Where funding has been secured for a project, a specific future date is provided for when completion is expected. However, most projects do not currently have funding and thus it is difficult to know exactly when they will be completed. For these projects, an estimate is provided for the amount of time it will take to complete the project once funding becomes available. Strategies are grouped by 1-2-year timeframe, 3-5-year timeframe, 5+ year timeframe, and ongoing items.

Strategy Types

Mitigation strategies were broken into four broad categories to facilitate local implementation discussions, especially regarding budget considerations and roles/responsibilities:

Structure and Infrastructure Projects - Construct "bricks & mortar" infrastructure and building improvements in order to eliminate or reduce hazard threats, or to mitigate the impacts of hazards. Examples include drainage system improvement, dam repair, and generator installation. Structure and infrastructure improvements tend to have the greatest level of support at the local level, but are highly constrained by funding limits.

Preparedness, Coordination and Response Actions - Ensure that a framework exists to facilitate and coordinate the administration, enforcement and collaboration activities described in this plan. Integrate disaster prevention/mitigation and preparedness into every relevant aspect of town operations, including Police, Fire, EMD, EMS, DPW, Planning Board, Conservation Commission and Board of Selectmen; coordinate with neighboring communities where appropriate. Recommendations in this category tend toward standardizing and memorializing generally-practiced activities.

Education and Awareness Programs - Integrate education and outreach into the community to raise awareness of overall or hazard-specific risk and generate support for individual or community-wide efforts to reduce risk.

Awareness and education seek to affect broad patterns of behavior, essentially altering a culture. Awareness-building activity tends to have a fairly slow effect, although in the end it can provide extraordinary benefits with relatively little cash outlay.

Local Plans and Regulations - Review and propose updates to local bylaws, ordinances and regulations to protect vulnerable resources and prevent further risk to those resources. Formally adopt these updates into the local regulatory framework. Review the effectiveness of past mitigation projects, programs procedures and policies. Incorporate mitigation planning into master plans, open space plans, capital improvement plans, facility plans, etc.

Planning and regulatory activity tends to provide extraordinary benefits with relatively little cash outlay. However, in smaller communities where planning activities are largely the purview of volunteers, outside assistance from the state or regional levels may be required to maximize its benefits. Political support may be difficult to achieve for some planning and regulatory measures, especially those that place new constraints on land use.

In addition to describing action items in each of these categories, for each strategy we also identify what hazard(s) it is intended to address, as described in Chapter 4 of this plan. Each strategy also identifies the lead organization that serves as the primary point of contact for coordinating efforts associated with that item, and identifies potential funding sources for implementation. See Chapter 8 for more information on potential funding.

Town of Northborough Mitigation Strategies

OVERALL GOAL: Facilitate activity within the Town of Northborough that reduces the loss, and risk of loss, to persons and property.

Mitigation Strategy	Hazard(s) Addressed	Who?	Potential Funding Sources	Priority	Impact	Estimated Cost	Timeline
Description A. Structure & Infrastructure Strategies		Agencies involved		Political & economic viability: High/Med/Low	Mitigation impact: High/Med/Low	High (\$100k+)/ Med (\$50k- 100k)/ Low (<\$50k)	Time needed to complete
			Federal,				
Dredge fire ponds which are too shallow and dry out during the summer months. This would also help with stormwater collection and help prevent flooding in the area of the ponds.	WF, FL, ST	Fire, DPW	State Local	Low	Medium	High	2-3 Years
Expand the capacity of the DPW; increase the number of cisterns and fire ponds; increase staff to clear poison ivy from draft sites and dry hydrants, and to constantly clear the drain at Rte. 9 & Rte. 20 which causes flooding.	WF, DR, FL	State, DPW, Fire	State, Local	Medium	Medium	Medium	3-5 years
Develop a back-up strategy for the town's fuel island. Purchase a generator for the fuel island ensuring the town has access to fuel			State, Federal,			Medium-	
in the event of an emergency.	All	DPW	Local	High	High	High	1 Year
			Local, State,				
Repair Bartlett Pond Dam.	DF, ST, FL	CC	Federal	Low	Medium	High	2-3 Years

Mitigation Strategy	Hazard(s) Addressed	Who?	Potential Funding Sources	Priority	Impact	Estimated Cost	Timeline
Description		Agencies involved		Political & economic viability: High/Med/Low	Mitigation impact: High/Med/Low	High (\$100k+)/ Med (\$50k- 100k)/ Low (<\$50k)	Time needed to complete
Maintain fire roads in the Mount Pisgah area and ensure proper							
functioning of dry hydrants around Town, especially near Crawford St, Little Chauncy Pond, and I-290	WF	DPW, Fire	Local, State	Medium	Medium	Medium	1-2 years
Purchase a Utility Vehicle (UTV) for the purpose of monitoring			Federal, State				
forested areas with limited accessibility. B. Preparedness, Coordination & Response Action Strategies	WF, DR	Fire	Local	Medium	Medium	Low	5 years
Implement steps from each dam's action/evaluation plan (i.e. Repair Plan), specifically Bartlett Pond Dam. Possible funding through Capital Improvement Plan.	DF, ST, FL	DPW	Local, Federal, State	Low	High	Low	1-3 years
Maintain high-degree of participation with National Grid through their First Responder App.	All	Fire, Police, DPW	Local	Medium	Medium	Low	Ongoing
Maintain and expand on vegetative debris program (e.g. by acquiring additional equipment), and thereby mitigate risks of stormwater flooding, riverine flooding, winter storm damage, etc, such as through the Central Massachusetts Mosquito Control Project. Possible funding through Capital Improvement			State,				
Plan.	ST, SS, FL	DPW	Local	Low-Medium	High	Low	Ongoing
Continue to sweep streets at least once per year to increase stormwater management capacity; capture and dispose of properly (currently budgeted).	ST, SS, FL, HU	DPW, DOT	Local, State	High	High	Low	Ongoing
Continue to properly clean, at least annually, or more often as required, all stormwater structures and basins (currently	ST, SS, FL,	,		-	<u> </u>		
budgeted).	HU	DPW	Local	High	High	Low	Ongoing

Mitigation Strategy	Hazard(s) Addressed	Who?	Potential Funding Sources	Priority	Impact	Estimated Cost	Timeline
Description		Agencies involved		Political & economic viability: High/Med/Low	Mitigation impact: High/Med/Low	High (\$100k+)/ Med (\$50k- 100k)/ Low (<\$50k)	Time needed to complete
Continue building a strong relationship with utilities, i.e. National Grid. NE Operations Center on Barefoot Rd. Currently very responsive, including sending appropriate resources to downed poles and wires through picture messages. Build off recently adopted Stretch Code and apply for Green Communities designation.	All	Local, State, Utilities	State, Local	Medium	High	Low	Ongoing
Continue to utilize hazard warning systems and notifications: social media, town webpages, Code Red, Warning Siren, and other communication methods. Interns are currently taking senior citizen information to sign them up for CodeRed. Post generator safety and use info on social media. Health Dept. to put out a brochure on 72-hr kits through Town-wide mailing, school children take-home, etc. Maintain internal instant messaging system, allowing for rapid response of emergency personnel	All	Local	Local	High	High	Low	Ongoing
Actively enforce and comply with the state building codes, promote successful working relationship between Fire Marshall and Building Inspector	All	Building Dept., Fire, PB, CC, ZBA	Local	High	High	Low	Ongoing
Actively enforce and comply with the Massachusetts Wetlands Protection Act, and enforce local wetlands bylaw. Continue to engage with Oars and the Mass Association of	FL, ST	сс	Local	High	High	Low	Ongoing
Conservation Commissions to support wetlands protection, river corridor acquisition, etc. Continue to engage with the Local Emergency Planning	FL, ST	сс	Local	Medium	Medium	Low	Ongoing
Committee (LEPC) and Central Region Homeland Security Advisory Council (CRHSAC) for increased communication and	All	All	State, Local	High	High	Medium	Ongoing

Mitigation Strategy	Hazard(s) Addressed	Who?	Potential Funding Sources	Priority	Impact	Estimated Cost	Timeline
Description coordination between local, regional, state, and federal agencies regarding disasters and emergencies.		Agencies involved		Political & economic viability: High/Med/Low	Mitigation impact: High/Med/Low	High (\$100k+)/ Med (\$50k- 100k)/ Low (<\$50k)	Time needed to complete
C. Education & Awareness Strategies							
Educate all segments of the community about hazard mitigation and the impacts that disasters can have on the community through social media, brochures, and mailings. Also, educate on			Local, State,				
water conservation methods.	All	EMD	Federal	Medium	High	Low	Yearly
Promote available educational material (state/federal) especially to students, regarding disasters at measures they can take to		Fire, Police,	Local, State,				
limit risks.	All	School	Federal	Medium	High	Low	Yearly
Pursue educational opportunities in regards to grant writing. Hold regional workshop about Hazard Mitigation Grant Writing	All	Fire, Police, DPW	Local	Low	High	Low	Ongoing
Fund mailings for Fire Safety	WF, DR	Fire	Local	Low	Low	Low	Ongoing
Develop educational materials for residents about protecting wetlands	DR, WF, ST, HU	сс	Local	Low	Low	Low	1 year
D. Local Planning & Regulatory Strategies							
Continue to share information at Local Emergency Planning Committee meetings, and Central Mass Regional Homeland Security Council meetings, about successful hazard mitigation planning and programs. Create a feedback loop to improve pre-			Local,				
disaster planning by establishing a formal post-disaster assessment process.	All	EMD, REPC, State	State, Federal	Medium	Low	Low	1-2 Years
Expand the use of the Capital Improvement Program for		Capital Improvement	Local, State,				12,0013
vegetation removal equipment, paving, and dam repair.	All	Committee	Federal	High	High	Medium	Ongoing

Mitigation Strategy	Hazard(s) Addressed	Who?	Potential Funding Sources	Priority	Impact	Estimated Cost	Timeline
Description		Agencies involved		Political & economic viability: High/Med/Low	Mitigation impact: High/Med/Low	High (\$100k+)/ Med (\$50k- 100k)/ Low (<\$50k)	Time needed to complete
Encourage new Committee to look at hazard mitigation in their long term planning for improvements.							
Enforce underground utility requirements in local subdivision regulations and retrofitting of existing infrastructure.	All	Planning Department	Local, State	Medium	Medium	Low	1 Year
Integrate hazard mitigation into subdivision, site plan review, 40B review, and other zoning reviews. In particular, require the consideration of downstream flooding impacts caused by new projects. Enforce the reduction of impervious surface (pavement) and reserve parking for recharge and retention of stormwater. Enforce groundwater protection in overlay district.	FL, ST	Building Department, Planning Department	Local, State	Medium	Medium	Low	1 Year
Maintain Unified Incident Command program, continue training local officials in ICS	All	All Town Departments	Local, State, Federal	Medium	Medium	Low	Annually
Continue to inventory shelter supplies and emergency resources, identify resources that are available at any shelters and if the shelters would be impacted by an emergency. This would help ensure suitable shelters are available for different types of natural hazards. Plan and administer walkthroughs so emergency management knows shelter layouts. Overnight shelters should be inspected by the State Building Department for compliance.	All	EMD, Health Director, State Building Department	Local, State, Federal	Low	Low	Low	Yearly
Study the possibility of creating a regional shelter with a neighboring town. This would help limit the expense of maintaining separate shelters when towns have a limited budget.	All	EMD, neighboring towns	Local, State	Medium	Medium	Low	1-2 Years
Create a Road Bylaw, ensuring new development will have roads able to handle emergency vehicles and proper drainage infrastructure is built	SS, ST, FL	Planning Department	Local	High	High	Low	1 Year

Hazard(s) Addressed	Who?	Potential Funding Sources	Priority	Impact	Estimated Cost	Timeline
	Agencies involved		Political & economic viability: High/Med/Low	Mitigation impact: High/Med/Low	High (\$100k+)/ Med (\$50k- 100k)/ Low (<\$50k)	Time needed to complete
	Building					
All	Department	Local	High	Medium	Low	Ongoing
DR, FL, HU	DPW	Local	Low	Medium	Low	1-2 years
All	Pire, Police, DPW, EMS, Planning, Con Com	Local	High	Medium	Low	Every 5 years
	All Town	Local,				-
All	Departments, REPC, PDA	State, Federal	Medium	Medium	Low	3-5 years
	Building/ Zoning Department, Planning Department,			Madian		1-2 years
	Addressed All DR, FL, HU All	AddressedAddressedAgencies involvedAllDR, FL, HUDR, FL, HUDPWFire, Police, DPW, EMS, Planning, ConAllAllComAllDR, FL, HUDPW, EMS, Planning, ConAllAllComAllDepartments, AllAllDepartment, Planning Department, Planning Department, Planning Department, Planning Department,	AddressedFunding SourcesAddressed	AddressedFunding SourcesAddressedFunding SourcesAddressedPolitical & economic viability: High/Med/LowAllBuilding DepartmentAllDepartmentDR, FL, HUDPWDPW, EMS, Planning, ConLocalAllCom Departments, State, FederalAllCom Department, Planning Department, PlanningAllComDepartment, Planning Department, Planning Department,	AddressedFunding SourcesMitigation impact: High/Med/LowAgencies involvedPolitical & economic viability: High/Med/LowMitigation impact: High/Med/LowAllBuilding DepartmentLocalHighMediumDR, FL, HUDPWLocalLowMediumFire, Police, DPW, EMS, Planning, Con AllFire, Police, DPW, EMS, Planning, ConMediumAllCom Departments, State, FederalLocalHighAllREPC, PDAFederalMediumBuilding/ Zoning Department, Planning Department, Planning Department, Planning Department, Planning Department, Planning Department, Planning Department, Planning Department, Planning Department,Medium	AddressedFunding SourcesCostAddressedFunding SourcesHigh (\$100k+)/ MedAgencies involvedPolitical & economic viability: High/Med/LowHigh (\$100k+)/ Med (\$50k- 100k)/ LowAllBuilding DepartmentLocalHighMediumDR, FL, HUDPW IPWLocalLowMediumFire, Police, DPW, EMS, Planning, ConLocalLowMediumAllCom LocalLocalHighMediumAllComLocalLowMediumAllREPC, PDAFederalMediumLowAllREPC, PDAFederalMediumLowAllREPC, PDAFederalMediumLowAllRepartment, Planning Department, PlanningState, FederalMediumLowAllREPC, PDAFederalMediumLowPlanning Department, Planning Department,FederalMediumLow

'Hazards Addressed' abbreviations:

DF	Dam Failure	DR	Drought
EQ	Earthquake	FL	Flooding
HU	Hurricane	OT	Other
SS	Severe Snowstorm/Ice storm/Nor'easter	ST	Severe Thunderstorm/Wind/Tornado
WF	Wildfire/Brushfire	XT	Extreme Temperatures

Who? Agencies Involved' abbreviations:

- CMRPCCentral Mass. Regional Planning CommissionDPWDepartment of Public Works
- Planning Board PB
- Zoning Board of Appeals ZBA

- CC Conservation Commission
- EMD Emergency Management Director
- Regional Emergency Planning Commission REPC

8. PLAN ADOPTION, IMPLEMENTATION, AND MAINTENANCE

8.1 Plan Adoption

A public meeting was held on January 22, 2018 as part of the Board of Selectmen's meeting in order to detail the planning process to date and to solicit comments and feedback from the public on the draft Northborough Hazard Mitigation Plan then being finalized. The draft plan was provided to the Town for distribution and posted on CMRPC's website from January 22 for public review and input. A revised final draft plan was posted online for comment on May 15, 2018. The Plan was then submitted to the Massachusetts Emergency Management Agency (MEMA) and the Federal Emergency Management Agency (FEMA) for their review. Upon receiving conditional approval of the plan by FEMA, the final plan was presented to the Northborough Board of Selectmen and adopted on October 15, 2018.

8.2 Plan Implementation

The implementation of this plan began upon its formal adoption by the Board of Selectmen and approval by MEMA and FEMA. Those Town departments and boards responsible for ensuring the development of policies, ordinance revisions, and programs as described in Sections 5 and 6 of this plan will be notified of their responsibilities immediately following approval. The Hazard Mitigation Team will oversee the implementation of the plan.

Incorporation with Other Planning Documents

Existing plans, studies, reports and municipal documents were incorporated throughout the planning process. This included a review and incorporation of significant information from the following key documents:

- *Northborough Comprehensive Emergency Management Plan* (particularly the Critical Infrastructure Section) the Critical Infrastructure section was used to help identify infrastructure components in Town that have been identified as crucial to the function of the Town; this resource was also used to identify potentially vulnerable populations and potential emergency response shortcomings.
- Northborough Open Space and Recreation Plan (2010) this Plan was used to identify the natural context within which mitigation planning would take place. This proved useful insofar as it identified water bodies, rivers, streams, infrastructure components (i.e. water and sewer, or the lack thereof), as well as population trends. This was incorporated to ensure that the Town's mitigation efforts would be sensitive to the surrounding environment. It should be noted that this plan has expired and needs to be updated.

- *Northborough Zoning Bylaw* –Zoning was used to gather identify those actions that the town is already taking that are reducing the potential impacts of a natural hazard (i.e. floodplain regulations) to avoid duplicating existing successful efforts.
- Northborough Master Plan The Town is currently going through a Master Plan process, which is scheduled to be completed in 2019. We encourage the Master Plan committee to include the recommendations provided by the Northborough Local Hazard Mitigation Team in this Plan to be incorporated into the final Northborough Master Plan.
- *Massachusetts State Hazard Mitigation Plan (2013)* This plan was used to ensure that the town's HMP was consistent with the State's Plan.

After this plan has been approved by both FEMA and the local government, links to the plan will be emailed to all Town staff, boards, and committees, with a reminder to review the plan periodically and work to incorporate its contents, especially the action plan, into other planning processes and documents. In addition, during annual monitoring meetings for the Hazard Mitigation Plan implementation process, the Hazard Mitigation Team will review whether any of these plans are in the process of being updated. If so, the Hazard Mitigation Team will remind people working on these plans, policies, etc., of the Hazard Mitigation plan, and urge them to incorporate the Hazard Mitigation plan into their efforts. The Hazard Mitigation Team will also review current Town programs and policies to ensure that they are consistent with the mitigation strategies described in this plan. The Hazard Mitigation Plan will also be incorporated into updates of the Town's Comprehensive Emergency Management Plan.

8.3 Plan Monitoring and Evaluation

The Town's Emergency Management Director will call meetings of all responsible parties to review plan progress as needed, based on occurrence of hazard events. The public will be notified of these meetings in advance through a posting of the agenda at Town Hall. Responsible parties identified for specific mitigation actions will be asked to submit their reports in advance of the meeting.

Meetings will involve evaluation and assessment of the plan, regarding its effectiveness at achieving the plan's goals and stated purpose. The following questions will serve as the criteria that are used to evaluate the plan:

Plan Mission and Goal

• Is the Plan's stated goal and mission still accurate and up to date, reflecting any changes to local hazard mitigation activities?

• Are there any changes or improvements that can be made to the goal and mission?

Hazard Identification and Risk Assessment

- Have there been any new occurrences of hazard events since the plan was last reviewed? If so, these hazards should be incorporated into the Hazard Identification and Risk Assessment.
- Have any new occurrences of hazards varied from previous occurrences in terms of their extent or impact? If so, the stated impact, extent, probability of future occurrence, or overall assessment of risk and vulnerability should be edited to reflect these changes.
- Is there any new data available from local, state, or Federal sources about the impact of previous hazard events, or any new data for the probability of future occurrences? If so, this information should be incorporated into the plan.

Existing Mitigation Strategies

- Are the current strategies effectively mitigating the effect of any recent hazard events?
- Has there been any damage to property since the plan was last reviewed?
- How could the existing mitigation strategies be improved upon to reduce the impact from recent occurrences of hazards? If there are improvements, these should be incorporated into the plan.

Proposed Mitigation Strategies

- What progress has been accomplished for each of the previously identified proposed mitigation strategies?
- How have any recently completed mitigation strategies affected the Town's vulnerability and impact from hazards that have occurred since the strategy was completed?
- Should the criteria for prioritizing the proposed mitigation strategies be altered in any way?
- Should the priority given to individual mitigation strategies be changed, based on any recent changes to financial and staffing resources, or recent hazard events?

Review of the Plan and Integration with Other Planning Documents

- Is the current process for reviewing the Hazard Mitigation Plan effective? Could it be improved?
- Are there any Town plans in the process of being updated that should have the content of this Hazard Mitigation Plan incorporated into them?
- How can the current Hazard Mitigation Plan be better integrated with other Town planning tools and operational procedures, including the zoning bylaw, the Comprehensive Emergency Management Plan, and the Capital Improvement Plan?

Following these discussions, it is anticipated that the planning team may decide to reassign the roles and responsibilities for implementing mitigation strategies to different Town departments and/or revise the goals and objectives contained in the plan. The team will review and update the Hazard Mitigation Plan every five years.

Public participation will be a critical component of the Hazard Mitigation Plan maintenance process. The Hazard Mitigation Team will hold all meetings in accordance with Massachusetts open meeting laws and the public invited to attend. The public will be notified of any changes to the Plan via the meeting notices board at Town Hall, and copies of the revised Plan will be made available to the public at Town Hall.

8.4 Potential Federal and State Funding Sources

Federal Funding Sources

The FEMA web pages identify a number of funding opportunities. Please refer to <u>https://www.fema.gov/grants</u>. Some programs are described briefly below:

Hazard Mitigation Assistance

The HMA grant programs provide funding opportunities for pre- and post-disaster mitigation. While the statutory origins of the programs differ, all share the common goal of reducing the risk of loss of life and property due to Natural Hazards. Brief descriptions of the HMA grant programs can be found below. For more information on the individual programs, or to see information related to a specific Fiscal Year, please click on one of the program links.

Hazard Mitigation Grant Program (HMGP)

HMGP assists in implementing long-term hazard mitigation measures following Presidential disaster declarations. Funding is available to implement projects in accordance with State, Tribal, and local priorities. Please refer to: <u>http://www.fema.gov/hazard-mitigation-grant-program</u> for additional information.

HMGP funds may be used to fund projects that will reduce or eliminate the losses from future disasters. Projects must provide a long-term solution to a problem, for example, elevation of a home to reduce the risk of flood damages as opposed to buying sandbags and pumps to fight the flood. In addition, a project's potential savings must be more than the cost of implementing the project. Funds may be used to protect either public or private property or to purchase property that has been subjected to, or is in danger of, repetitive damage. Examples of projects include, but are not limited to:

• Acquisition of real property for willing sellers and demolition or relocation of buildings to convert the property to open space use

- Retrofitting structures and facilities to minimize damages from high winds, earthquake, flood, wildfire, or other natural hazards
- Elevation of flood prone structures
- Development and initial implementation of vegetative management programs
- Minor flood control projects that do not duplicate the flood prevention activities of other Federal agencies
- Localized flood control projects, such as certain ring levees and floodwall systems, that are designed specifically to protect critical facilities
- Post-disaster building code related activities that support building code officials during the reconstruction process

Pre-Disaster Mitigation Grant Program (PDM)

The PDM Program, authorized by Section 203 of the Robert T. Stafford Disaster Relief and Emergency Assistance Act, is designed to assist States, U.S. Territories, Federally-recognized tribes, and local communities in implementing a sustained pre-disaster natural hazard mitigation program. The goal is to reduce overall risk to the population and structures from future hazard events, while also reducing reliance on Federal funding in future disasters. This program awards planning and project grants and provides opportunities for raising public awareness about reducing future losses before disaster strikes. Please refer to http://www.fema.gov/pre-disaster-mitigation-grant-program for additional information.

Flood Mitigation Assistance (FMA)

Flood Mitigation Assistance (FMA) provides funds on an annual basis so that measures can be taken to reduce or eliminate risk of flood damage to buildings insured under the National Flood Insurance Program. Please refer to the FMA website: <u>http://www.fema.gov/flood-mitigation-assistance-grant-program</u>.

Three types of FMA grants are available to States and communities:

- **Planning Grants** to prepare Flood Mitigation Plans. Only NFIP-participating communities with approved Flood Mitigation Plans can apply for FMA Project grants
- **Project Grants** to implement measures to reduce flood losses, such as elevation, acquisition, or relocation of NFIP-insured structures. States are encouraged to prioritize FMA funds for applications that include repetitive loss properties; these include structures with 2 or more losses each with a claim of at least \$1,000 within any ten-year period since 1978.
- **Technical Assistance Grants** for the State to help administer the FMA program and activities. Up to ten percent (10%) of Project grants may be awarded to States for Technical Assistance Grants

Repetitive Flood Claims (RFC)

The Repetitive Flood Claims (RFC) grant program was authorized by the Bunning-Bereuter-

Blumenauer Flood Insurance Reform Act of 2004 (P.L. 108–264), which amended the National Flood Insurance Act (NFIA) of 1968 (42 U.S.C. 4001, et al). Please refer to: <u>https://www.fema.gov/repetitive-flood-claims-grant-program-fact-sheet</u>

RFC provides funds on an annual basis to reduce the risk of flood damage to individual properties insured under the NFIP that have had one or more claim payments for flood damages. RFC provides up to 100% federal funding for projects in communities that meet the reduced capacity requirements.

Severe Repetitive Loss (SRL)

The Severe Repetitive Loss (SRL) grant program was authorized by the Bunning-Bereuter-Blumenauer Flood Insurance Reform Act of 2004, which amended the National Flood Insurance Act of 1968 to provide funding to reduce or eliminate the long-term risk of flood damage to severe repetitive loss (SRL) structures insured under the National Flood Insurance Program (NFIP). Please refer to: <u>https://www.fema.gov/media-library/resources-documents/collections/14</u>

SRL provides funds on an annual basis to reduce the risk of flood damage to residential structures insured under the NFIP that are qualified as severe repetitive loss structures. SRL provides up to 90% federal funding for eligible projects.

Definition: The definition of severe repetitive loss as applied to this program was established in section 1361A of the National Flood Insurance Act, as amended (NFIA), 42 U.S.C. 4102a. An SRL property is defined as a residential property that is covered under an NFIP flood insurance policy and:

- a) That has at least four NFIP claim payments (including building and contents) over \$5,000 each, and the cumulative amount of such claims payments exceeds \$20,000; or
- b) For which at least two separate claims payments (building payments only) have been made with the cumulative amount of the building portion of such claims exceeding the market value of the building.

For both (a) and (b) above, at least two of the referenced claims must have occurred within any ten-year period, and must be greater than 10 days apart.

Purpose: To reduce or eliminate claims under the NFIP through project activities that will result in the greatest savings to the National Flood Insurance Fund (NFIF).

Federal / Non-Federal cost share: 75/25%; up to 90% Federal cost-share funding for projects approved in States, Territories, and Federally-recognized Indian tribes with FEMA-approved Standard or Enhanced Mitigation Plans or Indian tribal plans that include a strategy for mitigating

existing and future SRL properties.

Disaster Assistance

Disaster assistance is money or direct assistance to individuals, families and businesses in an area whose property has been damaged or destroyed and whose losses are not covered by insurance. It is meant to help with critical expenses that cannot be covered in other ways. This assistance is not intended to restore damaged property to its condition before the disaster. While some housing assistance funds are available through our Individuals and Households Program, most disaster assistance from the Federal government is in the form of loans administered by the Small Business Administration.

Disaster Assistance Available from FEMA

In the event of a Declaration of Disaster, assistance from FEMA is grouped in 3 categories:

- A. Housing Needs
- B. Other than Housing Needs
- C. Additional Services

A. Housing Needs

- **Temporary Housing** (a place to live for a limited period of time): Money is available to rent a different place to live, or a government provided housing unit when rental properties are not available.
- **Repair**: Money is available to homeowners to repair damage from the disaster to their primary residence that is not covered by insurance. The goal is to make the damaged home safe, sanitary, and functional.
- **Replacement**: Money is available to homeowners to replace their home destroyed in the disaster that is not covered by insurance. The goal is to help the homeowner with the cost of replacing their destroyed home.
- **Permanent Housing Construction**: Direct assistance or money for the construction of a home. This type of help occurs only in insular areas or remote locations specified by FEMA, where no other type of housing assistance is possible.

B. Other than Housing Needs

Money is available for necessary expenses and serious needs caused by the disaster, including:

- Disaster-related medical and dental costs.
- Disaster-related funeral and burial cost.
- Clothing; household items (room furnishings, appliances); tools (specialized or protective

clothing and equipment) required for your job; necessary educational materials (computers, school books, supplies)

- Fuels for primary heat source (heating oil, gas).
- Clean-up items (wet/dry vacuum, dehumidifier).
- Disaster damaged vehicle.
- Moving and storage expenses related to the disaster (moving and storing property to avoid additional disaster damage while disaster-related repairs are being made to the home).
- Other necessary expenses or serious needs as determined by FEMA.
- Other expenses that are authorized by law.

C. Additional Services

- Crisis Counseling
- Disaster Unemployment Assistance
- Legal Services
- Special Tax Considerations

Assistance to Firefighters Grants

The FEMA Assistance to Firefighters Grants (AFG) program provides funds to equip and train emergency personnel to recognized standards, enhance operations efficiencies, foster interoperability, and support community resilience. Under AFG, funds may be available for equipment, vehicles and/or training that can be used to mitigate and/or respond to wildfire-related hazards. AFG also has a Fire Prevention and Safety (FPS) component which funds public outreach programs and prevention activities, which can emphasize wildfire mitigation. Please refer to: https://www.fema.gov/welcome-assistance-firefighters-grant-program.

Disaster Loans Available from the Small Business Administration

The U.S. Small Business Administration (SBA) can make federally subsidized loans to repair or replace homes, personal property or businesses that sustained damages not covered by insurance. The Small Business Administration can provide three types of disaster loans to qualified homeowners and businesses:

- home disaster loans to homeowners and renters to repair or replace disaster- related damages to home or personal property (please refer to: <u>https://www.disasterassistance.gov/get-assistance/forms-of-assistance/4477/1/468</u>
- business physical disaster loans to business owners to repair or replace disaster- damaged property, including inventory, and supplies (please refer to: <u>https://www.sba.gov/loans-grants/see-what-sba-offers/sba-loan-programs/disaster-loans/disaster-loan-data</u>); and
- economic injury disaster loans, which provide capital to small businesses and to small

agricultural cooperatives to assist them through the disaster recovery period (<u>please refer</u> to: <u>https://www.sba.gov/loans-grants/see-what-sba-offers/sba-loan-programs/disaster-</u> <u>loans/types-disaster-loans/economic-injury-disaster-loans</u>).

For many individuals the SBA disaster loan program is the primary form of disaster assistance.

Disaster Assistance from Other Organizations and Entities

https://www.disasterassistance.gov/ is a secure, user-friendly U.S. Government web portal that consolidates disaster assistance information in one place. If you need assistance following a presidentially declared disaster— which has been designated for individual assistance— you can now to go to DisasterAssistance.gov to register online. Local resource information to help keep citizens safe during an emergency is also available. Currently, 17 U.S. Government agencies, which sponsor almost 60 forms of assistance, contribute to the portal.

DisasterAssistance.gov speeds the application process by feeding common data to multiple online applications. Application information is shared only with those agencies you identify and is protected by the highest levels of security. DisasterAssistance.gov will continue to expand to include forms of assistance available at the federal, state, tribal, regional and local levels, with a projected completion date of 2014. Through www.DisasterAssistance.gov you have the ability to:

- Determine the number and forms of assistance you may be eligible to receive by answering a brief series of questions or start the individual assistance registration process immediately
- Apply for FEMA assistance and be referred to the Small Business Administration for loans through online applications
- Choose to have your Social Security benefits directed to a new address
- Access your federal student loan account information
- Receive referral information on forms of assistance that do not yet have online applications
- Access a call center in the event you do not have Internet access to ensure you can still register for assistance
- Check the progress and status of your applications online.
- Identify resources and services for individuals, families and businesses needing disaster assistance during all phases of an emergency situation
- Identify resources to help locate family members and pets
- Access assistance from the Department of State if you are affected by a disaster while traveling abroad
- Find information on disaster preparedness and response

Federal Funding Summary Table

The following is a summary of the programs which are the primary source for federal funding of hazard mitigation projects and activities in Massachusetts:

Table 29

Program	Type of Assistance	Availability	Managing Agency	Funding Source
National Flood Insurance Program (NFIP)	Pre-Disaster Insurance	Any time (pre & post disaster)	DCR Flood Hazard Management Program	Property Owner, FEMA
Community Rating System (CRS) (Part of the NFIP)	Flood Insurance Discounts	Any time (pre & post disaster)	DCR Flood Hazard Management Program	Property Owner
Flood Mitigation Assistance (FMA) Program	pre- disaster planning &	1	MEMA	75% FEMA/ 25% non- federal
Hazard Mitigation Grant Program (HMGP)	Post-disaster Cost- Share Grants	Post disaster program	MEMA	75% FEMA/ 25% non- federal
Pre-Disaster Mitigation Program	0 1 0	Annual, pre- disaster mitigation program	MEMA	75% FEMA/ 25% non- federal
Severe Repetitive Loss	For SRL structures insured under the NFIP.	Annual	MEMA	Authorized up to \$40 million for each fiscal year 2005 through 2009
Assistance to Firefighters Grants (AFG)	Training & equipment for wildfire-related hazards	Annual	FEMA	FEMA
Small Business Administration (SBA) Mitigation Loans	Pre- & Post- disaster loans to qualified applicants	Ongoing	MEMA	Small Business Administration
Public Assistance	Post-disaster aid to state & local governments	Post Disaster	MEMA	FEMA/ plus a non- federal share

For a list of additional potential funding sources, please refer also to Table 17-7 on Pages 545-8 of the 2013 State Hazard Mitigation Plan:

http://www.mass.gov/eopss/docs/mema/resources/plans/state-hazard-mitigation-plan/massachusetts-state-hazard-mitigation-plan.pdf.

State Funding Sources

The Commonwealth of Massachusetts provides matching FEMA assistance. This means that,

following Presidential disaster declarations, the state may contribute a portion of the 25% nonfederal share for federal Infrastructure Support funds. Since 1991, the state has contributed nearly \$20 million to match FEMA's funding following declared Presidential disasters. Other State funding sources include the following:

Special Appropriations and Legislative Earmarks

Although there is no separate state disaster relief fund in Massachusetts, the state legislature may enact special appropriations for those communities sustaining damages following a natural disaster that are not large enough for a Presidential disaster declaration. Since 1991, Massachusetts has issued 20 major disaster declarations. Additionally, individual legislators may seek specific project funding for projects through the legislative budgeting and appropriations process.

State Revolving Fund

This statewide loan program through the Executive Office of Environmental Affairs assists communities in funding local stormwater management projects which help to minimize and/or eliminate flooding in poor drainage areas.

Chapter 90 Funds

This statewide program reimburses communities for roadway projects, such as resurfacing and related work and other work incidental to the above such as preliminary engineering including State Aid/Consultant Design Agreements, right-of-way acquisition, shoulders, side road approaches, landscaping and tree planting, roadside drainage, structures (including bridges), sidewalks, traffic control and service facilities, street lighting (excluding operating costs), and for such other purposes as the Department may specifically authorize. Maintaining and upgrading critical infrastructure and evacuation routes is an important component of hazard mitigation.

MVP Program

Launched in 2017, the Municipal Vulnerability Preparedness (MVP) program provides support for cities and towns to begin or to supplement the process of planning for resiliency. The state awards communities with funding to complete vulnerability assessments and to develop action-oriented resiliency plans, with a special emphasis on the impacts climate change. Communities will be able to define extreme weather and natural and climate related hazards, identify existing and future vulnerabilities and strengths, develop and prioritize actions for the community, and identify opportunities to take action to reduce risk and build resilience. MVP activities can easily be integrated with updates to the local hazard mitigation plan. More information is available online here: <a href="https://www.mass.gov/eea/air-water-climate-change/climate-chan

change/massachusetts-global-warming-solutions-act/municipal-vulnerability-preparednessprogram.html

Community Development Block Grant (CDBG)

CDBG remains the principal source of revenue for communities to use in identifying solutions to address physical, economic, and social deterioration in lower-income neighborhoods and

communities. While primarily a housing and community development program administered through the Executive Office of Housing and Community Development (EOHCD), the program can also fund the rehabilitation of municipal buildings such as town halls, which in many cases, also serve as Emergency Operations Centers for their communities.

State Land Acquisition & Conservation Program

Through the Massachusetts Executive Office of Energy and Environmental Affairs, this annual program purchases private property for open space, wetland protection and floodplain preservation purposes. For instance, in 1998, the state set an ambitious goal of protecting 200,000 acres of open space in the Commonwealth by 2010. In August 2001, less than three years later, the state announced that the Commonwealth and its land protection partners had reached the halfway mark in achieving that goal - 100,000 acres. Updated information may be found on the website of the Executive Office of Energy and Environmental Affairs Open Space Protection program at http://www.mass.gov/envir/openspace/default.htm.

Dams & Levees Program

EEA funds projects for the repair and removal of dams, levees, seawalls, and other forms of inland and coastal flood control. In FY 2016, the maximum award for any one application was \$1,000,000 for dams and levees and \$3,000,000 for seawalls and other coastal foreshore protection. A minimum financial match of 25% of total funds requested is required. For additional information, please refer to <u>http://www.mass.gov/eea/waste-mgnt-recycling/water-resources/preserving-water-resources/water-laws-and-policies/water-laws/draft-regs-re-dam-and-sea-wall-repair-or-removal-fund.html.</u>

Major Flood Control Projects

The state provides half of the non-federal share of the costs of major flood control projects developed in conjunction with the U.S. Army Corps of Engineers. This program is managed by DCR.

Flood Control Dams

Natural Resource Conservation Service (NRCS), manages the Flood Control Dams Program, (PL566), which funds states in the operation and maintenance of the 25 PL566 flood control dams located on state property. This program also includes technical assistance and other smaller services from the NRCS and partners.

Flood Hazard Management Program Staff Funding

The state provides the 25% non-federal share for FEMA's funding under the Community Assistance Program - State Support Services Element (CAP-SSSE). CAP-SSSE funding, and the state match supports the Flood Hazard Management Program (FHMP) within the Department of Conservation and Recreation. The FHMP works with FEMA to coordinate the National Flood Insurance Program throughout Massachusetts, providing technical assistance to participating communities, professionals.

MassWorks Infrastructure Program

The MassWorks Infrastructure Program provides a one-stop shop for municipalities and other eligible public entities seeking public infrastructure funding to support economic development and job creation. Although not specific to natural hazards per se, these infrastructure enhancements under MassWorks could also address identified needs for hazard mitigation. The MassWorks Infrastructure Program is administered by the Executive Office of Housing and Economic Development, in cooperation with the Department of Transportation and Executive Office for Administration & Finance. Please refer to

http://www.mass.gov/hed/economic/eohed/pro/infrastructure/massworks/ for additional information.

Weatherization Assistance Program

The Weatherization Assistance Program is funded each year by the U.S. Department of Energy's Office of Energy Efficiency & Renewable. The extent of services to be provided depends on available funding. The program is intended to help low-income homeowners and renters lower their energy cost and reduce the potential impact from severe weather events. Weatherization service agencies throughout Massachusetts run the Weatherization Assistance Program. Please refer to http://energy.gov/eere/wipo/weatherization-assistance-program for additional information.

APPENDICES

- A. Maps
- **B.** Public Survey Results
- C. Planning Team & Public Meetings
- **D.** Glossary
- E. 2012/2018 Priorities Comparison